



ADMINISTRATIVE DIVISION

FIELD OFFICE VII DSWD-AS-GF-091 | REV 01 | 28 SEPT 2022

SUPPLEMENTAL / BID BULLETIN

Addendum No. 1

TITLE : Negotiated Procurement after Two Failed Biddings for the "Supply and

Delivery of ICT Equipment, Tools and Accessories for CY 2023 of DSWD

Field Office VII"

ITB NO. : DSWD7-NP-2023-01

DATE : 10 October 2023

Issued pursuant to Section 22.5 of the IRR of Republic Act No. 9184 to clarify and/or anent certain provision on the Bidding Documents issued for this project, considering the issues raised and clarifications made by prospective bidders during the Negotiation Conference held on **October 10, 2023**, and shall form an integral part thereof, viz:

Subject	ct Amendment/Agreement/Clarification	
Invitation to Bid	This supplemental/bid bulletin is issued to emphasize the change of date of the Bid Opening from 16 October 2023, Monday, 9:00AM to 18 October 2023, Wednesday, 10:30AM.	
	It has also been agreed by the Bids and Awards Committee to amend the required timeframe for completed contracts to be attached for the Single Largest Completed Contract (SLCC) similar to the Project, from "within three (3) years" to "within five (5) years" from the date of submission and receipt of bids.	
Technical Specifications	Minor changes on item specifications have been clarified and agreed by the BAC, TWG, end-users and participating bidders during the negotiation conference. All changes are reflected in this bid bulletin.	

Attached herewith are the revised Invitation to Bid and Technical Specifications.

This Bid Bulletin shall form part of the bidding documents.

This is for the guidance and information of all concerned. Please be guided accordingly.

Sgd. PATRICIA R. MEGALBIO

Chairperson, Bids and Awards Committee II







Revised Invitation to Bid

NEGOTIATED PROCUREMENT AFTER TWO-FAILED BIDDINGS for the "Supply and Delivery of ICT Equipment, Tools and Accessories for CY 2023 of DSWD Field Office VII"

Project Identification No.: ITB No. DSWD7-NP-2023-01

1. The Department of Social Welfare and Development, Field Office VII (DSWD-FO VII), through the authorized appropriations for Fiscal Year 2023 General Appropriations Act intends to apply the sum of Three Million Eight Hundred Ninety-One Thousand Five Hundred Twenty-Four Pesos Only (Php3,891,524.00) as payment under the contract for the NEGOTIATED PROCUREMENT AFTER TWO-FAILED BIDDINGS for the "Supply and Delivery of ICT Equipment, Tools and Accessories for CY 2023 of DSWD Field Office VII".

Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The DSWD Field Office VII now invites bids from PhilGEPS registered suppliers. Delivery of the goods is required within Section VI. Schedule of Requirements. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a Single Largest Completed Contract (SLCC) similar to the Project, at least 50% of the ABC amounting to Php1,945,762.00. However, it can also be an aggregate of at least two similar completed contracts, provided that there is one contract equivalent to at least half of the 50% of the ABC amounting to Php972,881.00. The SLCC must be supported with the following documents:
 - i. Either of Contract, Purchase Order, Notice of Award or Notice to Proceed, and:
 - ii. Either of Certificate of Completion, Certificate of Acceptance, Inspection and Acceptance, Official Receipt / Collection Receipt or Sales Invoice.

The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".
- 4. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 5. Prospective Bidders may obtain further information from *Department of Social Welfare and Development Field Office VII* and inspect the Bidding Documents at the address given below during *office hours*, 8:00 AM 5:00 PM.

6. Below is the schedule of negotiation activities:

Activity	Schedule	Venue
Negotiation Conference	October 10, 2023 - 10:00AM	DSWD Field
Deadline for Submission Bids	October 18, 2023 - 10:15AM	Office VII Conference
Opening of Bids	October 18, 2023 - 10:30AM	Room

The *DSWD Field Office VII* will hold a Negotiation Conference and Opening of Bids on the above-mentioned schedules at *DSWD Field Office VII Conference Room, Cebu City* and/or through *video-conferencing via Google Meet using the code: procurement7*, which shall be open to prospective bidders.

Note:

DSWD Field Office is implementing health screening and temperature checks for all personnel, visitors and clients. For your protection, please wear your mask at all times during your visit.

7. Participating bidders shall submit one (1) copy of their duly accomplished eligibility and technical and financial requirements listed below:

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); <u>and</u>
- (b) Registration certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, <u>and</u>
- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Area; **and**
- (d) Tax Clearance per E.O No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (e) Statement of the prospective bidder of all its ongoing government and private contract, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (f) Statement of bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
 - i.) Either of Contract, Purchase Order, Notice of Award or Notice to Proceed, and
 - ii.) Either of Certificate of Completion, Certificate of Acceptance, Inspection and Acceptance, Official Receipt / Collection Receipt or Sales Invoice.
- (g) Original copy of the Bid Security. If in the form of Surety Bond, submit also a certification issued by the Insurance Commission, <u>or</u> Original copy of Notarized Bid Securing Declaration; **and**

The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:

- The amount of not less than *two percent* (2%) of ABC or equivalent to *Php77,830.48*, if bid security is in cash, cashier's/manager's check, bank draft / guarantee or irrevocable letter of credit; or
- The amount of not less than *five percent* (5%) of ABC or equivalent to *Php194,576.20*, if bid security is in Surety Bond.

Or

- Original copy of Notarized Bid Securing Declaration; and
- (h) Conformity with the Schedule of Requirements and Technical Specifications, which may include production / delivery schedule, manpower, requirement, and/or aftersales/parts, if applicable; <u>and</u>
- (i) Original duly signed Omnibus Sworn Statement (OSS);

and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative, or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Technical Documents

- (j) The Supplier's audited financial statement, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); **or** A Committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
- (l) Service provider must have an existing Landbank of the Philippines (LBP) Account in compliance with DBM Circular Letter No. 2013-16. Participating bidder must attach a photocopy of their bank account details (bank account name, number and branch) in the bids submitted. This shall be verified during the conduct of post-qualification.

Class "B" Documents

(m) If applicable, a duly signed joint venture (JVA) in case the joint venture is already in existence; Or

Duly notarized statements from all the potential venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (n) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- (a) Original duly signed and accomplished Financial Bid Form;
- (b) Original duly signed and accomplished Financial Proposal Sheet(s); and
- (c) Original duly signed and accomplished Priced Schedule(s).

- 8. The *DSWD-FO VII* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
- 9. As stated in Section 22.5.1 of the IRR of RA 9184, request for clarifications on any part of the Bidding Documents or for an interpretation must be in writing and submitted to the BAC of the Procuring Entity concerned at least ten (10) calendar days before the deadline set for the submission and receipt of bids. The BAC shall respond to the said request by issuing a Supplemental/Bid Bulletin, duly signed by the BAC Chairperson, to be made available to all those who have properly secured the Bidding Documents, at least seven (7) calendar days before the deadline for the submission and receipt of bids.
- 10. For further information, please refer to:

MR. GRAEME FERDINAND D. ARMECIN

Head, BAC Secretariat DSWD – Field Office VII M.J. Cuenco corner Gen. Maxilom Avenue, Cebu City Tel. Nos. (032) 2338785 local 17140 and 17149

Email Add: <u>bac.fo7@dswd.gov.ph</u>
Website: <u>https://fo7.dswd.gov.ph/</u>

October 4, 2023

Sgd. PATRICIA R. MEGALBIO Chairperson, Bids and Awards Committee II

Revised Technical Specifications

Bidders must state either "Comply" or "Not Comply" in the Statement of Compliance column to each indicated parameter or specification. The bidder's offered item must also be indicated in the Bidder's Remarks column. Ensure that the offered item/s must all be compliant to the indicated parameter/s or specification/s to avoid failure of your bids.

		STATEMENT OF	BIDDER'S
NO.	ITEM DESCRIPTION	COMPLIANCE	REMARKS
1.	ALL IN ONE PRINTER (MONOCHROME)		
	Monthly Duty Cycle: > 10,000 impression		
	Copying		
	Copy Speed: >27cpm (black)		
	Copy Resolution: 600 x 600 dpi		
	Printing		
	Print Speed: >27ppm (black)		
	Print Solution: 2400 x 600 dpi		
	Scanning		
	Optical Resolution: 2400 x 600 dpi		
	Bit Depth: >30 bit		
	Scan Size Max (ADF): 8.5 x 11.7"		
	File Format Supported: JPEG, TIF, PDF, BMP, PNG		
	Document and Media Handling		
	Document Feeder Sheet Capacity: >20 Sheets		
	Document Feeder Max Size Capacity: Legal		
	Max Copy Size: Legal		
	Paper Tray Sheet Capacity: >200 Sheets		
	Paper Tray Max Size Capacity: Legal		
	PC Connectivity		
	Connection: Hi-Speed USB 2.0; Ethernet 10/100 Base-T		
2.	Warranty: at least 1-year Hardware Warranty ALL-IN-ONE PRINTER		
۷.	Compatible with the existing ink supplies (Epson T6641,		
	T6642, T6643 & T6644)		
3.	ALL-IN-ONE PRINTER		
]	Compatible with the existing ink supplies (Epson 003)		
4.	LASER PRINTER (MULTIFUNCTION)		
	Laser Printer 3-in-1 Monochrome		
	Function: Print, Copy and Scan		
	Output Type: Compatible with Windows and MAC		
	Connectivity Technology: USB 2.0 and Wi-Fi Connectivity		
	Networking Type: Ethernet		
	Print Speed: ≥34 ppm		
	Monthly Duty Cycle: ≥10,000 Impressions		
	Technology: Laser		
	Black Resolution: ≥2400 x 600dpi		
	Max Media Size: Legal		
5.	LASER PRINTER (COLOR)		
	Output Type: Color		
	Compatibility: Compatible with Windows and MAC		

	T	T	
	Connectivity Technology: USB 2.0		
	Networking Type: Ethernet (100 Base TX/ 10 Base-T) and		
	Wireless Connection		
	Print Speed: ≥15ppm		
	Monthly Duty Cycle: ≥10,000 impressions		
	Technology: Laser		
	Black Resolution: ≥600dpi		
	Max Media Size: Legal		
	Warranty: at least 1-year Hardware Warranty		
6.	LASER PRINTER (COLOR)		
0.	Max Print Resolution Color: 1200 x 1200dpi		
	Print Speed: 21-30 ppm		
	All-In-One Toner Cartridges		
	Output Type: Color		
	Compatibility: Compatible with Windows and MAC		
	Connectivity Technology: USB 2.0		
	Networking Type: Ethernet (100 Base TX / 10 BAse-T) or		
	Wireless Connectivity		
	Monthly Duty Cycle: ≥30,000 impressions		
	Technology: Laser		
	Max Media Size: Legal		
	Warranty: at least 1 Year Hardware Warranty		
7.	INKJET PRINTER (COLOR)		
	Type: InkJet All-In-One Printer (Print, Scan, Copy and Fax)		
	Print Speed: up to 11 ppm (black) and 5 ppm (color)		
	Paper Size: 4 x 6 in, A4, Legal, Letter		
	Connectivity: Hi-Speed USB 2.0		
	Networking: WiFi		
	Compatibility: Compatible with Windows and MAC		
8.	PRINTER		
0.	for Existing Canon PG-47 & CL-57 Toner Cartridge		
9.	LAPTOP COMPUTER		
٦.	Specifications:		
	1 -		
	Processor:		
	Speed: at least 3 GHz Efficient Core		
	Cores: at least 10 Cores total		
	Threads: at least 12 Threads total		
	Cache: at least 10MB		
	Operating System:		
	Type: Latest Stable Proprietary OS 64-bit		
	Version: Professional Version (Must have the capability to		
	join Active Directory)		
	Provide a certificate from the OS manufacturer as authorized		
	reseller/dealer and/or a vendor partner		
	Office Productivity Software:		
	Type: Latest Stable Proprietary OPS for Corporate		
	Application Perpetual License		
	Version: Standard, Inclusive of Word Processor, Spreadsheet,		
	and Presentation for offline use		
	Memory:		
	Capacity: at least 8GB DDR4		
	Input Devices:		
	Keyboard: Built-in with Backlight		

Input Type: Touchpad with multi-gesture and scrolling function Inclusion: Standard Optical Mouse USB (mouse should be the same brand of the laptop being offered) Graphics Controller: at least integrated UHD graphics I/O Ports: 2 x USB 3.2 Type A Port 1 x USB 3.2 Type C Port (support for USB 4.0, Thunderbolt, USB charging 5V/3A, DC in) 1 x RJ-45 LAN Port 1 x HDMI 2.0 Display: at least 16" inches IPS Display with a built-in webcam Storage: at least 512GB NVMe SSD Communication: Wireless: at least Wi-Fi 6E Bluetooth: at least Version 5.1 Ethernet: Gigabit Ethernet Battery: at least 11 hours runtime, Lithium Ion Warranty & SLA: at least Three (3) years Hardware and Labor Warranty at least One (1) year on Mouse DESKTOP COMPUTER 10. Specifications: Processor: Speed: at least 3 GHz Efficient Core Cores: at least 10 Cores total Threads: at least 12 Threads total Cache: at least 10MB Operating System: Type: Latest Stable Proprietary OS 64-bit Version: Professional Version (Must have the capability to join Active Directory) Provide a certificate from the OS manufacturer as authorized reseller/dealer and/or a vendor partner Office Productivity Software: Type: Latest Stable Proprietary OPS for Corporate Application Perpetual License Version: Must have of Word Processor, Spreadsheet, and Presentation for offline use Memory: at least 8Gb DDR4 Storage: at least 512GB M.2 SSD Input Devices: Wireless Keyboard and Mouse (should be the same brand of the desktop being offered) Graphics Controller: at least Integrated UHD Graphics I/O Ports: 4 x USB 3.2 Type A Port 1 x USB 3.2 Type C Port 1 x USB 2.0 Type A Port 1 x Audio Jack 1 x RJ-45 LAN Port (Gigabit)

Communication: Wireless: at least Wi-Fi 6E Bluetoth: at least Version 5.1 Ethernet: Gigabit Fithernet Speaker: Integrated Stereo Display: at least 21" inches LED Display Warranty & SLA: at least Three (3) years Hardware and Labor 11. DESKTOP MONITOR Size: at least 7 inches Technology: LCD with LED Backlit I/O: Display Port and HDMI Resolution: at least 2.560 x 1.440 Refresh Rate: at least 60Hz 12. DOCUMENT SCANNER Specifications: "Seanner type: ADF; CIS scanning technology; Flatbed. "Scan resolution, optical. Up to 600 dpi (color and mono, ADF): Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external). 48-bit (internal) "Automatic document feeder capacity. Standard, 60 sheets. "Sean resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) "Enhanced scanning resolution Up to 1200 dpi "Scan file format For text and image pages: PDF, IPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Peatures: Plug & Play Connectivity 14. FLASH DRIVE 14. FLASH DRIVE 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000+ Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wirel KeyBOARD Type: USB Spill-resistant design		1 x HDMI Port	
Wireless: at least Wi-Fi 6F Bluetooth: at least Version 5.1 Etherner: Gigabit Ethernet Speaker: Integrated Stereo Display: at least 2T inches LED Display Warranty & SLA: at least Three (3) years Hardware and Labor 11. DESKTOP MONITOR Size: at least 27 inches Technology: LCD with LED Backlit I/O: Display Port and HDMI Resolution: at least 2.560 x 1,440 Refresh Rate: at least 60Hz DOCUMENT SCANNER Specifications: "Scanner type, ADF; CIS scanning technology; Flatbed. "Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth, 24-bit (setzernal), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. "Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, IPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 135 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical			
Bluetooth: at least Version 5.1 Ethernet: Gigabit Ethernet Speaker: Integrated Stereo Display: at least 21" inches LED Display Warranty & SLA: at least Three (3) years Hardware and Labor 11. DESKTOP MONITOR Size: at least 27 inches Technology: LCD with LED Backlit I/O: Display Port and HDMI Resolution: at least 2,560 x 1,440 Refresh Rate: at least 60Hz 12. DOCUMENT SCANNER Specifications: "Scanner type. ADF: CIS scanning technology; Flatbed. "Scan resolution, optical. Up to 600 dpi (color and mono, ADF): Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) "Automatic document feeder capacity. Standard, 60 sheets. "Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF): Up to 1200 x 1200 dpi (color and mono, flatbed) "Enhanced scanning resolution Up to 1200 dpi "Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 beakward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty; at least I Month Hardware Warranty 15. WRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical			
Ethernet: Gigabit Ethernet Speaker: Integrated Stereo Display: at least 21" inches LED Display Warranty & SLA: at least Three (3) years Hardware and Labor 11. DESKTOP MONITOR Size: at least 27 inches Technology: LCD with LED Backlit LO: Display Port and HDMI Resolution: at least 2.560 x 1,440 Refresh Rate: at least 60Hz Refresh Rate: at least 60Hz Refresh Rate: at least 60Hz Sean resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity: Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) **Binanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTT), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity FASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least uSB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000+ Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Seroll Wheel: Yes, optical			
Speaker: Integrated Stereo Display: at least 21" inches LED Display Warramy & SLA: at least Three (3) years Hardware and Labor 11. DESKTOP MONITOR Size: at least 27 inches Technology: LCD with LED Backlit I/O: Display Port and HDMI Resolution: at least 2,560 x 1,440 Refresh Rate: at least 60Hz 12. DOCUMENT SCANNER Specifications: *Scanner type: ADF; CIS scanning technology; Flatbed. *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth: 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, BABC) *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, BABC) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity FLASH DRIVE Capacity: at least 23 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Linc-by-line scrolling Scroll Wheel: Yes, optical			
Display; at least 21" inches LED Display Warranty & SLA: at least Three (3) years Hardware and Labor 11. DESKTOP MONITOR Size: at least 27 inches Technology: LCD with LED Backlit I/O: Display Port and HDMI Resolution: at least 2,560 x 1,440 Refresh Rate: at least 60Hz 12. DOCUMENT SCANNER Specifications: *Scanner type. ADF; CIS scanning technology; Flatbed. *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth; 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least 132 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 SDB 2.0, Plug and Play Warranty: at least 1 SDB 2.0, Plug and Play Warranty: at least 1 SDB 2.0, Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000- Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical			
Warranty & SLA: at least Three (3) years Hardware and Labor 11. DESKTOP MONITOR Size: at least 27 inches Technology: LCD with LED Backlit I/O: Display Port and HDMI Resolution: at least 2,560 x 1,440 Refresh Rate: at least 60Hz 12. DOCUMENT SCANNER Specifications: "Scanner type. ADF; CIS scanning technology; Flatbed. "Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (200 and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000+ Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical		1	
11. DESKTOP MONITOR Size: at least 27 inches Technology: LCD with LED Backlit I/O: Display Port and HDMI Resolution: at least 2,560 x 1,440 Refresh Rate: at least 60Hz DOCUMENT SCANNER Specifications: *Seanner type. ADP; CIS scanning technology; Flatbed. *Sean resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Sean resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Sean file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000+ Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical			
11. DESKTOP MONITOR Size: at least 27 inches Technology: LCD with LED Backlit L/O: Display Port and HDMI Resolution: at least 2,560 x 1,440 Refresh Rate: at least 60Hz 12. DOCUMENT SCANNER Specifications: *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth, 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLSX), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 2G B Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (MinMax): 1000+ Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical			
Size: at least 27 inches Technology; LCD with LED Backlit I/O: Display Port and HDMI Resolution: at least 2,560 x 1,440 Refresh Rate: at least 60Hz 12. DOCUMENT SCANNER Specifications: *Scanner type. ADF; CIS scanning technology; Flatbed. *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, Intebed) Bit depth, 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, Enthed) *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical		Labor	
Technology; LCD with LED Backlit I/O: Display Port and HDMI Resolution: at least 2,560 x 1,440 Refresh Rate: at least 60Hz 12. DOCUMENT SCANNER Specifications: *Scanner type. ADF; CIS scanning technology; Flatbed. *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, ADF); Up to 600 x 600 dpi (color and mono, ADF); Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, Ratbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages : PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB	11.	DESKTOP MONITOR	
I/O: Display Port and HDMI Resolution: at least 2,560 x 1,440 Refresh Rate: at least 60Hz 12. DOCUMENT SCANNER Specifications: *Scanner type. ADF; CIS scanning technology; Flatbed. *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical		Size: at least 27 inches	
Resolution: at least 2,560 x 1,440 Refresh Rate: at least 60Hz DOCUMENT SCANNER Specifications: *Seanner type. ADF: CIS scanning technology; Flatbed. *Sean resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Sean resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Sean file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB Type: USB		Technology: LCD with LED Backlit	
12. DOCUMENT SCANNER Specifications: *Scanner type. ADF; CIS scanning technology; Flatbed. *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical		I/O: Display Port and HDMI	
12. DOCUMENT SCANNER Specifications: *Scanner type. ADF; CIS scanning technology; Flatbed. *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TTF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		Resolution: at least 2,560 x 1,440	
Specifications: *Scanner type. ADF; CIS scanning technology; Flatbed. *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB Type: USB			
*Scanner type. ADF; CIS scanning technology; Flatbed. *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB	12.	DOCUMENT SCANNER	
*Scanner type. ADF; CIS scanning technology; Flatbed. *Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		Specifications:	
*Scan resolution, optical. Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least 32 GB Connectivity: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
ADF); Up to 1200 dpi (color and mono, flatbed) Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least USB 2.0, Plug and Play Warranty: at least USB 2.0, Plug and Play Warranty: rechnology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical Type: USB Type: USB Type: USB Type: USB Type: USB			
Bit depth. 24-bit (external), 48-bit (internal) *Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages : PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
*Automatic document feeder capacity. Standard, 60 sheets. *Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical Type: USB Type: USB Type: USB			
*Scan resolution, hardware Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages : PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages : PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrollimg: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		<u> </u>	
1200 dpi (color and mono, flatbed) *Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
*Enhanced scanning resolution Up to 1200 dpi *Scan file format For text and image pages : PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
Up to 1200 dpi *Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
*Scan file format For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least 1 Wonth Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
For text and image pages: PDF, JPEG, PNG, BMP, TIF, Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WRED KEYBOARD Type: USB			
Text(TXT), Rich Text(RTF), SEARCHABLE PDF, PDF/A, Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
Word(DOC), Word(DOCX), Excel(XLS), Excel(XLSX), CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
CSV 13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
13. PORTABLE HARD DRIVE Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
Interface Option: USB 3.0 backward compatibility USB 2.0 Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
Capacity: at least 2TB Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB	13.		
Size: 2.5 inch Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		Interface Option: USB 3.0 backward compatibility USB 2.0	
Compatibility: Windows & MAC OS Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		Capacity: at least 2TB	
Features: Plug & Play Connectivity 14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		Size: 2.5 inch	
14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		Compatibility: Windows & MAC OS	
14. FLASH DRIVE Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
Capacity: at least 32 GB Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB	14.		
Connectivity: at least USB 2.0, Plug and Play Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		Capacity: at least 32 GB	
Warranty: at least 1 Month Hardware Warranty 15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
15. WIRED OPTICAL MOUSE Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		·	
Type: USB 2.0 Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB	15		
Connectivity: Plug and Play Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB	15.		
Sensor Technology: Optical Tracking DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		V A	
DPI (Min/Max): 1000± Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB		, ,	
Number of Buttons: 3 (Left/Right-click, Middle click) Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
Scrolling: Line-by-line scrolling Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
Scroll Wheel: Yes, optical 16. WIRED KEYBOARD Type: USB			
16. WIRED KEYBOARD Type: USB		· · · · · · · · · · · · · · · · · · ·	
Type: USB	<u></u>		
	16.		
Spill-resistant design			
		Spill-resistant design	

	10-Key Number pad
	Caps lock indicator light
	Num lock indicator light
	Up to 10 million keystrokes (excludes number lock key)
17.	PRECISION SCREWDRIVER SET
	20 Disassembly Accessories:
	1 x handle (plastic)
	1 x Flexible extension shaft
	1 x Extension bar
	1 x Tweezers
	3x Plastic pry tools
	2 x SIM card removal to
	1 x Magnetizer/ Demagnetizer
	1 x Suction cup
	6 x Opening picks
	1 x Bit holder for power screwdriver
	1 x Y-Shape Handle
	1 x Screw memory mat
	115Pcs Screwdriver bits:
	Phillips:PH0000 PH000 PH00 PH1 PH2
	Slotted:SL1.0 SL1.3 SL1.5 SL2.0 SL2.5 SL3.0 SL3.5
	SL4.0
	Torx: T1 T2 T3 T4 T5 T6 T7 T8 T9 T10 T15 T20
	Torx with a hole:T5H T6H T7H T8H T9H T10H T15H
	T20H T25H
	Pentagonal: P2 【☆0.8】 P5 【☆1.2】 P6 【☆1.5】 P8 【
	★2.0】
	Hex:H0.7 H0.9 H1.3 H1.5 H2.0 H2.5 H3.0 H3.5 H4.0
	H4.5 H5 H6
	Imperial Hex:H1/16 H1/8 H2/32 H5/32 H5/64 H7/64
	H9/64
	POZI: PZ000 PZ00 PZ1 PZ2
	Tri-point: Y0.6 Y1.0 Y1.5 Y2.0 Y2.5 Y3.0 Y3.5
	Triangle: $\triangle 2.0 \ \triangle 2.3 \ \triangle 2.6 \ \triangle 3.0$
	U-shape: U1.7 U2.0 U2.6 U3.0 U8
	MID:W1.5 W2.0 W2.5
	Square:S0 S1 S2
	ICS Socket: PH2
	SIM:0.8 1.0
	ICS: IN PH2
	4MM Socket:M2.5 M3.0 M3.5 M4.0 M4.5 M5.0 M5.5
	G3.8 G4.5
	TAP: Ex6 Ex7 Ex8 Ex9 Ex10 Dr6 Dr7 Dr8 Dr9 Dr10
	Magnetic Pickup Bit: U5.0
	Pocket wrench: 4# 4.5# 5# 5.5# 6# 7#
18.	UTP CABLE
	Category: CAT6A
	Grade: Data Grade
	Frequency Range: at least 500MHz
	Speed: Gigabit and 10GBe Network
	Length: 305 meters/ 1000 ft per box
	Certification: ANSI/TIA 568 C.2 standards
	,

19.	RJ45 PASSTHROUGH	
19.		
	100 pcs per pack	
20	Compatible: Cat5e / Cat6	
20.	HDMI SPLITTER	
	Type: 1 In 4 Out HDMI Splitter	
	Interface Type: HDMI A Female, DC Power Port	
	Resolution: 4k 30Hz	
	Transmission Direction: HDMI to HDMI (INPUT to OUTPUT)	
	Power Supply: DC 5V 1A Wearranty at least 1 Year Wearranty	
21	Warranty: at least 1 Year Warranty	
21.	HDMI CABLE	
	High-Speed HDMI to HDMI Cable Works with HDTVs Disited Company (Company)	
	Works with HDTVs, Digital Cameras / Camcorders, MP3	
	Players, and Other HDMI Devices	
	Support Ethernet, 3D, and Audio Return	
	Meets HDMI 1.4 Specifications; shielded to defend against	
	interference	
	Cable Length: 30 Meters	
22.	LAPEL MICROPHONE	
	Professional lapel microphone can be rotated 360 degrees and	
	can be adjusted at will.	
	Recording, Radio call and more.	
	Bluetooth microphone.	
23.	USB COMPUTER HEADSET	
	Controls: In-line flips up/down microphone w/ mute control	
	Headband: Padded, Adjustable	
	Earcups: Padded in left and right	
	Microphone: Echo and noise cancelling, left sided	
	microphone, movable boom, bi-directional	
	Input Impedance: at least 32ohms	
	Connectivity: at least USB 2.0 Type A	
	Speaker Frequency Response: at least between 20Hz-20kHz	
	Microphone Frequency Response: at least between 20Hz-	
	20kHz	
	Warranty: at least one (1) month warranty (if found defective,	
	replacement must be delivered within seven (7) working days	
	after the escalation of the issue)	
24.	WEB CAMERA 1080P	
	Compatible with Web Conferencing	
	Video Resolution: 2560 x 1440	
	Camera: 4MP	
	Frame Rate: 30 fps	
	Microphone: built-in microphone	
	Plug Type: USB 2.0 / with mini tripod stand	
25.	NETWORK SWITCH	
	Type: Gigabit Ethernet	
	No of Ports: 16 Ports (Auto Negotiation/Auto MDI/MDIX)	
	Network Media: 10BASE-T: UTP Category 3, 4, 5 Cable	
	(Maximum 100m)	
	100BASE-TX/1000BASE-T: UTP Category 5, 5e or above	
	Cable (Max 100m)	
	Switching Capacity: at least 32Gbps	
	Switching Capacity, at icast 3200ps	
	1	

26.	WIRELESS POINTING DEVICE / LASER POINTER
20.	Rechargeable
	Controller Compatible with Windows System Linux / MAC
	Android
	Supports Software: Excel PowerPoint / Keynote PDF /
	Google Slides / Prezi
	Laser Technology: RF2.4G Hz
	Laser Pointer Distance: 100m to 200m
	Battery Capacity: 250mAh
	Laser Color: Red
	Systems Supported: Windows/Apple OS
	50 Meters Remote Control
	USB Charging
27.	MULTIMEDIA PROJECTOR
	Native: $\ge XGA (1,024 \times 768)$
	Max Supported Resolution: WUXGA (1,920 x 1,200)
	Brightness: ≥4000 Lumens
	Connectivity: with or without wireless
	Contrast: 20000:1
	Lamp Life: ≥10000 Hours
	Warranty: 2 Years
	Interfaces/Ports:
	*HDMI: Yes
	*Number of USB Ports: 1
	*USB: Yes
	*Composite Video: Yes
	*Number of VGA Inputs: 1
	*VGA In: Yes
	*Number of VGA Outputs: 1
	*VGA Out: Yes
	*Number of Audio Inputs: 1
	*Number of Audio Outputs: 1
	*Audio Line In: Yes
	*Audio Line Out: Yes
	*Total Number of HDMI Ports: 1
	Power Description
	*Power Supply: 100V AC~240V AC
	*Input Voltage: 120V AC, 230V AC
28.	PORTABLE PROJECTOR
	*Full HD 1920x1080 pixels, 16:9 aspect ratio and colorful
	colors
	*Wi-Fi and Bluetooth Supported allows you to connect a
	wireless mouse or headphones
	*4600 lumens and a contrast ratio of 3000:1, so the projector
	displays a high-quality picture
	*Projection diagonal of 45 to 200 inches
	*Android Operating System it allows you to cast your mobile
	into your projector
29.	UNINTERRUPTIBLE POWER SUPPLY (UPS)
27.	with Built-in AVR and Surge Protection 390 watts
	Power Rating: 650VA
	Voltage Range: 140-290v
	At least 4 sockets
	11 ICUST T SUCRCIS

	Provide lighting, surge, overload, and short-circuit protection	
	Frequency: 50/60hz+5%	
30.	PORTABLE HANDY VACUUM WITH BLOWER 3-in-1 Computer Vacuum Air Blower Compressed Air Duster Blower, Portable Handheld Vacuum Cleaner Cordless, Rechargeable	
	ADDITIONAL SPECIFICATIONS	STATEMENT OF COMPLIANCE
	To protect DSWD from unreliable and unproven products the following are required:	
a.	For Laptop and Desktop Computers, providers must present Manufacturer's parts replacement certification and logistics warehouse location (Preferably within Cebu City, Mandaue City, City of Talisay, and City of Lapu-Lapu) to prove they can meet 4-hour on-site response time.	
b.	Providers should have a support office (with standby Support Engineers) within Metro Cebu including nearby cities and/or municipalities.	
c.	For Laptop and Desktop Computers, providers must present a valid and verifiable warranty certificate from the Equipment Manufacturer indicating their Name as Partner and Level of Partnership	
d.	Providers must present valid and verifiable Certificate that they are allowed to sell products under the category of Printers and/or Computers	
e.	Offered brand of the laptop computers must be present and available in the Philippine market in the last ten (10) years. And is marketed globally and have an international presence (physical stores, centers, or offices) in at least 5 countries.	
f.	Offered laptop models should be available in the Market and should not be custom-made or made to order just to comply with the required specifications.	

I hereby certify that all statements indicated under the **Statement of Compliance** and **Bidder's Remarks** are true and correct, otherwise, if found untrue and incorrect either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

	Name of Company/Bidder
Bid	der's Signature over Printed Name
Dat	e: