

### Supplemental/Bid Bulletin

Addendum No. 1 May 6, 2021

#### ITB No. DSWD7-PB-2021-38

#### Supply and Delivery of ICT Equipment for DSWD Field Office VII

This **Addendum No. 1 of** ITB No. DSWD7-PB-2021-38 is issued to clarify and/or amend, pursuant to Section 22.5 of the IRR of Republic Act 9184, certain provision on the Bidding Documents issued for this project as follows:

| Subject                               | Amendment/Agreement/Clarification   |  |  |  |  |  |
|---------------------------------------|---|--|--|--|--|--|
| Section VI. Schedule of Requirements  | Item No. 2 – added a specification, "ADF" and "Maximum scan size: Legal"                                  |  |  |  |  |  |
| -                                     | Item No. 18 – added a specification, "Input: VGA"   |  |  |  |  |  |
|                                       | Item No. 30 – change from "USB 3.0 Tyepe A male to female cable" to "USB 3.0 Type A male to female cable" |  |  |  |  |  |
| Section VII. Technical Specifications | chnical Item No. 2 – added a specification, "ADF" and "Maximum scan size:                                 |  |  |  |  |  |
| •                                     | Item No. 18 – added a specification, "Input: VGA"   |  |  |  |  |  |
|                                       | Item No. 30 – change from "USB 3.0 Tyepe A male to female cable" to "USB 3.0 Type A male to female cable" |  |  |  |  |  |
| Financial Proposal<br>Sheet           | Item No. 2 – added a specification, "ADF" and "Maximum scan size: Legal"                                  |  |  |  |  |  |
|                                       | Item No. 18 – added a specification, "Input: VGA"   |  |  |  |  |  |
|                                       | Item No. 30 – change from "USB 3.0 Tyepe A male to female cable" to "USB 3.0 Type A male to female cable" |  |  |  |  |  |

Attached herewith are the revised Section VI. Schedule of Requirements, Section VII. Technical Specifications and Financial Proposal Sheet.

For guidance and information of all concerned.

(SGD) ROSEMARIE S. SALAZAR

BAC II, Chairperson

## Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter the date of door-to-door delivery to the project site.

| Item<br>No. | Items/Descriptions   | Unit | Qty. | Delivery<br>Schedule   |
|-------------|--|------|------|--|
| 1           | ALL IN ONE PRINTER (COLORED) Function: Print, Scan, Copy Monthly Duty Cycle: up to 1,000 impression Print Technology: Thermal Inkjet Tank Print Speed (ISO, A4): up to 11 ppm (black) > 5ppm (color) Print Resolution: up to 1200x1200 dpi (black) 4800x1200 (color) Optical Resolution: up to 1200 dpi Bit depth: >=24bit Scan Size Max (ADF): Legal File Format Supported: PDF, TIFF, JPEG Document Feeder Sheet Capacity: up to 35 sheets Document Feeder Max Size Capacity: Legal Max Copy Size: Legal Paper Tray Sheet Capacity: up to 100 sheets Paper Tray Max Size Capacity: Legal Connection: Hi Speed USB 2.0; WiFi Warranty: 1 year Hardware Warranty | unit | 63   | Shall be fully<br>delivered to   |
| 2           | SCANNER Specifications: >Scan resolution, optical >Up to 600 dpi >DAILY CYCLE: Recommended daily duty cycle: 100 pages >ADF >Maximum scan size: Legal  | unit | 4    | DSWD Field Office VII, Cebu City within 30 calendar days from receipt of Notice to Proceed |
| 3           | PORTABLE HARD DISK DRIVE Capacity: at least 2TB Size: 2.5" Connectivity: at least USB 3.0 Warranty: at least 1 year  | unit | 13   |  |
| 4           | 1TB, 2.5" HDD, USB 3.0, BACKWARD, COMPATIBLE WITH USB 2.0, 5400 RPM, WITH DUAL COLOR LED LIGHT TO INDICATE USB 3.0/USB 2.0 TRANSMISSION, USB POWERED, SYSTEM REQUIREMENTS: USB 3.0/: WINDOWS XP/VISTA/7/MACOSX 10.4 OR ABOVE, WITH USB 3.0   | unit | 40   |  |

| Item<br>No. | Items/Descriptions   | Unit  | Qty. | Delivery<br>Schedule   |
|-------------|--|-------|------|--|
| 5           | SOLID STATE DRIVE 1,000 GB SATA 6 Gb/s Interface, compatible with SATA 3 Gb/s & SATA 1.5 Gb/s interface Up to 550 MB/s Sequential Read Up to 520 MB/s Sequential Write 2.5" SATA III   | unit  | 30   |  |
| 6           | RAM (16GB)  Memory Size: 16GB Frequency: DDR4-3200 MHz Timing: 16-18-18-38 (XMP 3200 MHz) Voltage: 1.35C (when XMP enable)   | unit  | 24   |  |
| 7           | LAPTOP RAM  Capacity: 16GB  Type: DDR4-2666  | unit  | 4    |  |
| 8           | DESKTOP WEB CAMERA Full HD Webcam Max Resolution: at least 1080p/30fps - 72/60fps Focus type: Autofocus Lens Technology: Full HD glass Built in mic: Stereo, Field of View: at least 78", Cable length: at least 5 feet Feature: Clippable, with Tripod, Warranty: at least 1 year | piece | 39   | Shall be fully delivered to DSWD Field Office VII, Cebu City within 30 calendar days from receipt of Notice to Proceed |
| 9           | WEBCAM Specifications: >1080P HD WEBCAM; WIDESCREEN FULL HD VIDEO CALLS  | piece | 2    |  |
| 10          | DIGITAL CAMERA 20.1 MP; 8x Optical Zoom; 7.76mm type (1/2.3 in) Super HAD CCD <sup>TM</sup> ; Optical Steady shot; 720P HD Movies; Intelligent Auto  | piece | 1    |  |
| 11          | COMPUTER HEADSET  DIGITAL STEREO SOUND NOISE CANCELING MIC IN-LINE CONTROLS PADDED HEADBAND AND EAR CUPS Connections: USB-A compatible (1.1, 2.0, 3.0)   | piece | 22   |  |

| Item<br>No. | Items/Descriptions  | Unit  | Qty. | Delivery<br>Schedule   |
|-------------|---|-------|------|--|
| 12          | HOME OFFICE & CONFERENCING USB MIC Specifications: >Frequency Range: 20Hz to 20kHz >Maximum SPL: 130dB SPL >Sensitivity: -40 dBFS at 1kHz >USB Mic with USB-C and USB-A Cables >Compatible with Mac and Windows >Low-Profile, Portable Design >Listen over Headphone or Computer Output   | piece | 2    |  |
| 13          | PORTABLE CONFERENCE SPEAKER PHONE >Built-in Omni-directional microphone >Digital signal processing technology >Wideband audio/HD voice >Plug and play connectivity to PC/laptop   | piece | 1    |  |
| 14          | USB CONFERENCE SPEAKERPHONE Specifications: >360 degree coverage enabling hands-free collaboration & allowing attendees to hear and be heard from all angles >Crystal clear sound without echoes or distorted sounds even at maximum volume level >Wideband audio/HD Voice >USB Cable   | piece | 2    | Shall be fully<br>delivered to<br>DSWD Field<br>Office VII, Cebu |
| 15          | DESKTOP SPEAKER Product Details: Bluetooth audio input option for Bluetooth enabled devices Uniquely designed, upward angled satellites projects sound towards the listeners Transluscent satellite stands provides support, the structure reduces possible interference that originates from surfaces Master volume and bass adjustment dials located on the side panel of the subwoofer 3.5mm line-in jack located on the side of the subwoofer for connectivity to audio hosts | piece | 1    | City within 30 calendar days from receipt of Notice to Proceed   |
| 16          | BLUETOOTH DESKTOP SPEAKER  Total Watt (RMS): 40W Subwoofer: 24W Satellites: 2 x 8W Bluetooth version: 4.1 Reliable 590 in (15-meter) line of sight range 0.14 in (3.5 mm) input: 1 RCA input: 1 Headphone jack: 1 Controls: Bluetooth pairing, power and volume control on wired control pod; bass control on back of subwoofer   | piece | 3    |  |

| Item<br>No. | Items/Descriptions   | Unit  | Qty. | Delivery<br>Schedule   |
|-------------|--|-------|------|--|
| 17          | USB Powered Desktop and Laptop Speaker  >USB powered, compact 2.0 multimedia speakers >Flat panel designed satellites >Magnetically shielded speakers >Built in power and volume controls >3.5mm auxiliary input and headphone jack  | piece | 4    |  |
| 18          | MONITOR  Specifications: >21.5 IN MONITOR >Input: VGA  | piece | 1    |  |
| 19          | 3 IN 1 SET KEYBOARD/MOUSE/MOUSEPAD  Keyboard: Ergonomic design with quiet keys designed for longevity, durability and responsiveness.  Mouse: 3200 DPI sensor that offers up to 10G of acceleration, 4000 FPS and a Teflon feet for ultra-fine control.  Mousepad: Advanced multi-layer surface for both optical or laser sensor equipped mouse types, Anti-slip natural processed foam rubber, Stitched Edges | set   | 3    | Shall be fully<br>delivered to<br>DSWD Field<br>Office VII, Cebu<br>City within 30<br>calendar days<br>from receipt of |
| 20          | PROGRAMMABLE MOUSE  Resolution: 200 - 8,000dpi Max. acceleration: >25G Max. speed: >200ips USB data format: 16 bits/axis USB report rate: 1000 Hz (1ms) Microprocessor: 32-bit ARM Buttons (Left / Right): 10 million clicks OS: Windows and Mac   | piece | 5    | Notice to Proceed  |
| 21          | MOUSE  Specifications: >DURABLE WIRED MOUSE / USB TYPE   | piece | 35   |  |
| 22          | <b>KEYBOARD</b> >DURABLE WIRED KEYBOARD / USB TYPE   | piece | 30   |  |

| Item<br>No. | Items/Descriptions  | Unit  | Qty. | Delivery<br>Schedule   |
|-------------|---|-------|------|--|
| 23          | UNINTERRUPTIBLE POWER SUPPLY Specifications: >Battery Backup & Surge Protector for Electronics and Computers >Audible alarms >Provides notification of changing utility power and UPS power conditions >Automatic self-rest >Periodic battery self-test ensures early detection of a battery that needs to be replaces >Automatic Voltage Regulator (AVR) >Automatically steps up low volatege and steps down high voltage to levels that are suitable for your equipment >Battery backup and surge protection >Outlets provide abundant runtime for network gateway equipment >Battery backup and surge protection >Outlets provide abundant runtime for network gateway equipment and other critical low-power devices, allowing for hours of internet access during a power outage >LED indicators >Provide easy-to-read status of the unit and utility power conditions >Resettable circuit breakers >Enables a quick recovery from overload events >Max Configurable Power (Watts): 550Watts / 1.1kVA >Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof | unit  | 15   | Shall be fully delivered to DSWD Field Office VII, Cebu City within 30 calendar days from receipt of Notice to Proceed |
| 24          | POWER BANK Specifications: Capacity: 30000 mAh Input: 5V==2.1A (Lightning)/5V==2.1A(Micro USB)/5V==2.1A(Type-C) Output: 5V==2.1A/5V==1A   | piece | 65   |  |
| 25          | Resolution: at least 1080p Wireless: Wi-Fi 802.11ac (2.4GHz/5GHz) Power: 5V, 1A power supply Ports & Connectors: HDMI to plug directly into the Display Micro-USB power Operating Systems: Android, iOS, macOS and Windows  | piece | 3    |  |

| Item<br>No. | Items/Descriptions   | Unit  | Qty. | Delivery<br>Schedule  |
|-------------|--|-------|------|---|
| 26          | CELLPHONE SIGNAL BOOSTER  Repeater Frequency range (Mhz) UL 890-915Mhz DL 935- 960Mhz Gain (db) Up link≥65; Down link≥70 Output Power (Bm) ≥23dBm±3dBm Flatness ≤3dB Working voltage AC110~220V 50~60Hz Coverage area (M) 50~1000 square meters I/O impedence (Ω) 50 Ω | piece | 2    |   |
| 27          | PREPAID LTE POCKET WIFI  Specifications: >3G/HSPA/HSPA+/LTE+ >Navigate the online world with ease going at speeds of up to 42 Mbps >LTE 700mHz ready for better indoor coverage in selected areas >2000mAh removable battery >Can support up to 5 WiFi users           | piece | 30   | Shall be fully<br>delivered to<br>DSWD Field<br>Office VII, Cebu        |
| 28          | WIFI REPEATER  Two powerful high-gain external antennas give wider coverage and better performance Wireless function, make your wireless coverage larger Compatible with other brands router Transmission rate: 300Mbps  | piece | 5    | City within 30<br>calendar days<br>from receipt of<br>Notice to Proceed |
| 29          | DISPLAYPORT TO DVI CABLE  Product Details: 2 Meters Interface: DP1.4 Male, DVI (24+1) Male Interface Technics: Gold-plated   | piece | 16   |   |
| 30          | USB 3.0 EXTENSION CABLE (MALE TO FEMALE)  USB 3.0 Type A male to female cable Length: at least 1.5 Meters  | piece | 10   |   |

| Item<br>No. | Items/Descriptions   | Unit  | Qty. | Delivery<br>Schedule   |
|-------------|--|-------|------|--|
| 31          | USB OTG - ON THE GO USB Specifications:  1. Dual Drive M3.0 for Android/Smartphone Devices and Computers 2. 32GB 3. High Speed USB 3.0 performance up to 150MB/s 4. Retractable design with micro-USB and USB 3.0 connectors | piece | 50   | Shall be fully delivered to DSWD Field Office VII, Cebu City within 30 calendar days from receipt of Notice to Proceed |

| I hereby certify to comp | ply and deliver the goods as indicated above. |
|--------------------------|---|
|                          | Name of Company/Bidder                        |
|                          | Bidder's Signature over Printed Name          |
|                          | Date:   |

### Section VII. Technical Specifications

Bidders must state either "Comply" or "Not Comply" at the Statement of Compliance column against each of the individual parameters of each Specification. Brand of the offered items must be indicated if applicable.

| Item<br>No. | Items/Descriptions   | Unit | Qty. | Statement of Compliance | Bidder's<br>Remarks |
|-------------|--|------|------|-------------------------|---------------------|
| 1           | ALL IN ONE PRINTER (COLORED) Function: Print, Scan, Copy Monthly Duty Cycle: up to 1,000 impression Print Technology: Thermal Inkjet Tank Print Speed (ISO, A4): up to 11 ppm (black) > 5ppm (color) Print Resolution: up to 1200x1200 dpi (black) 4800x1200 (color) Optical Resolution: up to 1200 dpi Bit depth: >=24bit Scan Size Max (ADF): Legal File Format Supported: PDF, TIFF, JPEG Document Feeder Sheet Capacity: up to 35 sheets Document Feeder Max Size Capacity: Legal Max Copy Size: Legal Paper Tray Sheet Capacity: up to 100 sheets Paper Tray Max Size Capacity: Legal Connection: Hi Speed USB 2.0; WiFi Warranty: 1 year Hardware Warranty | unit | 63   |                         |                     |
| 2           | SCANNER Specifications: >Scan resolution, optical >Up to 600 dpi >DAILY CYCLE: Recommended daily duty cycle: 100 pages >ADF >Maximum scan size: Legal  | unit | 4    |                         |                     |
| 3           | PORTABLE HARD DISK DRIVE Capacity: at least 2TB Size: 2.5" Connectivity: at least USB 3.0 Warranty: at least 1 year  | unit | 13   |                         |                     |
| 4           | 1TB, 2.5" HDD, USB 3.0, BACKWARD, COMPATIBLE WITH USB 2.0, 5400 RPM, WITH DUAL COLOR LED LIGHT TO INDICATE USB 3.0/USB 2.0 TRANSMISSION, USB POWERED, SYSTEM REQUIREMENTS: USB 3.0/: WINDOWS XP/VISTA/7/MACOSX 10.4 OR ABOVE, WITH USB 3.0   | unit | 40   |                         |                     |

| Item<br>No. | Items/Descriptions   | Unit  | Qty. | Statement of Compliance | Bidder's<br>Remarks |
|-------------|--|-------|------|-------------------------|---------------------|
| 5           | SOLID STATE DRIVE 1,000 GB SATA 6 Gb/s Interface, compatible with SATA 3 Gb/s & SATA 1.5 Gb/s interface Up to 550 MB/s Sequential Read Up to 520 MB/s Sequential Write 2.5" SATA III   | unit  | 30   |                         |                     |
| 6           | RAM (16GB)  Memory Size: 16GB Frequency: DDR4-3200 MHz Timing: 16-18-18-38 (XMP 3200 MHz) Voltage: 1.35C (when XMP enable)   | unit  | 24   |                         |                     |
| 7           | LAPTOP RAM  Capacity: 16GB  Type: DDR4-2666  | unit  | 4    |                         |                     |
| 8           | DESKTOP WEB CAMERA Full HD Webcam Max Resolution: at least 1080p/30fps - 72/60fps Focus type: Autofocus Lens Technology: Full HD glass Built in mic: Stereo, Field of View: at least 78", Cable length: at least 5 feet Feature: Clippable, with Tripod, Warranty: at least 1 year | piece | 39   |                         |                     |
| 9           | WEBCAM Specifications: >1080P HD WEBCAM; WIDESCREEN FULL HD VIDEO CALLS  | piece | 2    |                         |                     |
| 10          | DIGITAL CAMERA 20.1 MP; 8x Optical Zoom; 7.76mm type (1/2.3 in) Super HAD CCD <sup>TM</sup> ; Optical Steady shot; 720P HD Movies; Intelligent Auto  | piece | 1    |                         |                     |
| 11          | COMPUTER HEADSET  DIGITAL STEREO SOUND NOISE CANCELING MIC IN-LINE CONTROLS PADDED HEADBAND AND EAR CUPS Connections: USB-A compatible (1.1, 2.0, 3.0)   | piece | 22   |                         |                     |

| Item<br>No. | Items/Descriptions  | Unit  | Qty. | Statement of Compliance | Bidder's<br>Remarks |
|-------------|---|-------|------|-------------------------|---------------------|
| 12          | HOME OFFICE & CONFERENCING USB MIC Specifications: >Frequency Range: 20Hz to 20kHz >Maximum SPL: 130dB SPL >Sensitivity: -40 dBFS at 1kHz >USB Mic with USB-C and USB-A Cables >Compatible with Mac and Windows >Low-Profile, Portable Design >Listen over Headphone or Computer Output   | piece | 2    |                         |                     |
| 13          | PORTABLE CONFERENCE SPEAKER PHONE >Built-in Omni-directional microphone >Digital signal processing technology >Wideband audio/HD voice >Plug and play connectivity to PC/laptop   | piece | 1    |                         |                     |
| 14          | USB CONFERENCE SPEAKERPHONE Specifications: >360 degree coverage enabling hands-free collaboration & allowing attendees to hear and be heard from all angles >Crystal clear sound without echoes or distorted sounds even at maximum volume level >Wideband audio/HD Voice >USB Cable   | piece | 2    |                         |                     |
| 15          | DESKTOP SPEAKER Product Details: Bluetooth audio input option for Bluetooth enabled devices Uniquely designed, upward angled satellites projects sound towards the listeners Transluscent satellite stands provides support, the structure reduces possible interference that originates from surfaces Master volume and bass adjustment dials located on the side panel of the subwoofer 3.5mm line-in jack located on the side of the subwoofer for connectivity to audio hosts | piece | 1    |                         |                     |
| 16          | BLUETOOTH DESKTOP SPEAKER  Total Watt (RMS): 40W Subwoofer: 24W Satellites: 2 x 8W Bluetooth version: 4.1 Reliable 590 in (15-meter) line of sight range 0.14 in (3.5 mm) input: 1 RCA input: 1 Headphone jack: 1 Controls: Bluetooth pairing, power and volume control on wired control pod; bass control on back of subwoofer   | piece | 3    |                         |                     |

| Item<br>No. | Items/Descriptions   | Unit  | Qty. | Statement of Compliance | Bidder's<br>Remarks |
|-------------|--|-------|------|-------------------------|---------------------|
| 17          | VSB Powered Desktop and Laptop Speaker  >USB powered, compact 2.0 multimedia speakers  >Flat panel designed satellites  >Magnetically shielded speakers  >Built in power and volume controls  >3.5mm auxiliary input and headphone jack  | piece | 4    |                         |                     |
| 18          | MONITOR  Specifications: >21.5 IN MONITOR >Input: VGA  | piece | 1    |                         |                     |
| 19          | 3 IN 1 SET KEYBOARD/MOUSE/MOUSEPAD  Keyboard: Ergonomic design with quiet keys designed for longevity, durability and responsiveness.  Mouse: 3200 DPI sensor that offers up to 10G of acceleration, 4000 FPS and a Teflon feet for ultra-fine control.  Mousepad: Advanced multi-layer surface for both optical or laser sensor equipped mouse types, Anti-slip natural processed foam rubber, Stitched Edges | set   | 3    |                         |                     |
| 20          | PROGRAMMABLE MOUSE  Resolution: 200 - 8,000dpi Max. acceleration: >25G Max. speed: >200ips USB data format: 16 bits/axis USB report rate: 1000 Hz (1ms) Microprocessor: 32-bit ARM Buttons (Left / Right): 10 million clicks OS: Windows and Mac   | piece | 5    |                         |                     |
| 21          | MOUSE  Specifications: >DURABLE WIRED MOUSE / USB TYPE   | piece | 35   |                         |                     |
| 22          | <b>KEYBOARD</b> >DURABLE WIRED KEYBOARD / USB TYPE   | piece | 30   |                         |                     |

| Item<br>No. | Items/Descriptions  | Unit  | Qty. | Statement of Compliance | Bidder's<br>Remarks |
|-------------|---|-------|------|-------------------------|---------------------|
| 23          | UNINTERRUPTIBLE POWER SUPPLY Specifications:  >Battery Backup & Surge Protector for Electronics and Computers  >Audible alarms  >Provides notification of changing utility power and UPS power conditions  >Automatic self-rest  >Periodic battery self-test ensures early detection of a battery that needs to be replaces  >Automatic Voltage Regulator (AVR)  >Automatically steps up low volatege and steps down high voltage to levels that are suitable for your equipment  >Battery backup and surge protection  >Outlets provide abundant runtime for network gateway equipment  >Battery backup and surge protection  >Outlets provide abundant runtime for network gateway equipment and other critical low-power devices, allowing for hours of internet access during a power outage  >LED indicators  >Provide easy-to-read status of the unit and utility power conditions  >Resettable circuit breakers  >Enables a quick recovery from overload events  >Max Configurable Power (Watts): 550Watts / 1.1kVA  >Battery type: Maintenance-free sealed Lead- Acid battery with suspended electrolyte: leakproof | unit  | 15   |                         |                     |
| 24          | POWER BANK Specifications: Capacity: 30000 mAh Input: 5V==2.1A (Lightning)/5V==2.1A(Micro USB)/5V==2.1A(Type-C) Output: 5V==2.1A/5V==1A   | piece | 65   |                         |                     |
| 25          | Resolution: at least 1080p Wireless: Wi-Fi 802.11ac (2.4GHz/5GHz) Power: 5V, 1A power supply Ports & Connectors: HDMI to plug directly into the Display Micro-USB power Operating Systems: Android, iOS, macOS and Windows  | piece | 3    |                         |                     |

| Item<br>No. | Items/Descriptions  | Unit  | Qty. | Statement of Compliance | Bidder's<br>Remarks |
|-------------|---|-------|------|-------------------------|---------------------|
| 26          | CELLPHONE SIGNAL BOOSTER  Repeater Frequency range (Mhz) UL 890-915Mhz DL 935-960Mhz Gain (db) Up link≥65; Down link≥70 Output Power (Bm) ≥23dBm±3dBm Flatness ≤3dB Working voltage AC110~220V 50~60Hz Coverage area (M) 50~1000 square meters I/O impedence (Ω) 50 Ω | piece | 2    |                         |                     |
| 27          | PREPAID LTE POCKET WIFI  Specifications: >3G/HSPA/HSPA+/LTE+ >Navigate the online world with ease going at speeds of up to 42 Mbps >LTE 700mHz ready for better indoor coverage in selected areas >2000mAh removable battery >Can support up to 5 WiFi users          | piece | 30   |                         |                     |
| 28          | WIFI REPEATER  Two powerful high-gain external antennas give wider coverage and better performance Wireless function, make your wireless coverage larger  Compatible with other brands router  Transmission rate: 300Mbps   | piece | 5    |                         |                     |
| 29          | DISPLAYPORT TO DVI CABLE  Product Details: 2 Meters Interface: DP1.4 Male, DVI (24+1) Male Interface Technics: Gold-plated  | piece | 16   |                         |                     |
| 30          | USB 3.0 EXTENSION CABLE (MALE TO FEMALE)  USB 3.0 Type A male to female cable Length: at least 1.5 Meters   | piece | 10   |                         |                     |

| Item<br>No. | Items/Descriptions  | Unit  | Qty. | Statement of Compliance | Bidder's<br>Remarks |
|-------------|---|-------|------|-------------------------|---------------------|
| 31          | USB OTG - ON THE GO USB Specifications: 1. Dual Drive M3.0 for Android/Smartphone Devices and Computers 2. 32GB 3. High Speed USB 3.0 performance up to 150MB/s 4. Retractable design with micro-USB and USB 3.0 connectors | piece | 50   |                         |                     |

### Additional Specifications:

- 1. Supplier shall provide a warranty receipt specifying the items upon delivery.
- 2. Supplier must have an existing Landbank of the Philippines (LBP) Account in compliance to DBM Circular Letter No. 2013-16. This shall be verified during the conduct of post-qualification.

I hereby certify that all statements indicated under the **Statement of Compliance** are true and correct, otherwise, if found untrue and incorrect either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

| Name of Company/Bidder               |  |  |  |  |  |
|--------------------------------------|--|--|--|--|--|
|                                      |  |  |  |  |  |
| Bidder's Signature over Printed Name |  |  |  |  |  |
|                                      |  |  |  |  |  |
| Date:                                |  |  |  |  |  |

# Financial Proposal Sheet ITB No. DSWD7-PB-2021-38

| The Bids and Awards Committee |
|-------------------------------|
| DSWD-Field Office VII         |
| M.J. Cuenco Ave., Cebu City   |

Sir/Madam:

Date:

After having carefully read and accepted the terms and conditions in your Bidding Documents, hereunder is our bid price per trip per destination from the point of origin:

| Item<br>No. | Items/Descriptions   | Unit | Qty. | UNIT<br>COST | TOTAL<br>PRICE |
|-------------|--|------|------|--------------|----------------|
| 1           | ALL IN ONE PRINTER (COLORED) Function: Print, Scan, Copy Monthly Duty Cycle: up to 1,000 impression Print Technology: Thermal Inkjet Tank Print Speed (ISO, A4): up to 11 ppm (black) > 5ppm (color) Print Resolution: up to 1200x1200 dpi (black) 4800x1200 (color) Optical Resolution: up to 1200 dpi Bit depth: >=24bit Scan Size Max (ADF): Legal File Format Supported: PDF, TIFF, JPEG Document Feeder Sheet Capacity: up to 35 sheets Document Feeder Max Size Capacity: Legal Max Copy Size: Legal Paper Tray Sheet Capacity: up to 100 sheets Paper Tray Max Size Capacity: Legal Connection: Hi Speed USB 2.0; WiFi Warranty: 1 year Hardware Warranty | unit | 63   |              |                |
| 2           | SCANNER Specifications: >Scan resolution, optical >Up to 600 dpi >DAILY CYCLE: Recommended daily duty cycle: 100 pages >ADF >Maximum scan size: Legal  | unit | 4    |              |                |
| 3           | PORTABLE HARD DISK DRIVE Capacity: at least 2TB Size: 2.5" Connectivity: at least USB 3.0 Warranty: at least 1 year  | unit | 13   |              |                |

| Item<br>No. | Items/Descriptions   | Unit  | Qty. | Statement<br>of<br>Compliance | Bidder's<br>Remarks |
|-------------|--|-------|------|-------------------------------|---------------------|
| 4           | 1TB, 2.5" HDD, USB 3.0, BACKWARD, COMPATIBLE WITH USB 2.0, 5400 RPM, WITH DUAL COLOR LED LIGHT TO INDICATE USB 3.0/USB 2.0 TRANSMISSION, USB POWERED, SYSTEM REQUIREMENTS: USB 3.0/: WINDOWS XP/VISTA/7/MACOSX 10.4 OR ABOVE, WITH USB 3.0   | unit  | 40   |                               |                     |
| 5           | SOLID STATE DRIVE 1,000 GB SATA 6 Gb/s Interface, compatible with SATA 3 Gb/s & SATA 1.5 Gb/s interface Up to 550 MB/s Sequential Read Up to 520 MB/s Sequential Write 2.5" SATA III   | unit  | 30   |                               |                     |
| 6           | RAM (16GB)  Memory Size: 16GB Frequency: DDR4-3200 MHz Timing: 16-18-18-38 (XMP 3200 MHz) Voltage: 1.35C (when XMP enable)   | unit  | 24   |                               |                     |
| 7           | LAPTOP RAM  Capacity: 16GB  Type: DDR4-2666  | unit  | 4    |                               |                     |
| 8           | DESKTOP WEB CAMERA Full HD Webcam Max Resolution: at least 1080p/30fps - 72/60fps Focus type: Autofocus Lens Technology: Full HD glass Built in mic: Stereo, Field of View: at least 78", Cable length: at least 5 feet Feature: Clippable, with Tripod, Warranty: at least 1 year | piece | 39   |                               |                     |
| 9           | WEBCAM Specifications: >1080P HD WEBCAM; WIDESCREEN FULL HD VIDEO CALLS  | piece | 2    |                               |                     |
| 10          | DIGITAL CAMERA 20.1 MP; 8x Optical Zoom; 7.76mm type (1/2.3 in) Super HAD CCD <sup>TM</sup> ; Optical Steady shot; 720P HD Movies; Intelligent Auto  | piece | 1    |                               |                     |

| Item<br>No. | Items/Descriptions  | Unit  | Qty. | Statement<br>of<br>Compliance | Bidder's<br>Remarks |
|-------------|---|-------|------|-------------------------------|---------------------|
| 11          | COMPUTER HEADSET  DIGITAL STEREO SOUND NOISE CANCELING MIC IN-LINE CONTROLS PADDED HEADBAND AND EAR CUPS Connections: USB-A compatible (1.1, 2.0, 3.0)  | piece | 22   |                               |                     |
| 12          | HOME OFFICE & CONFERENCING USB MIC Specifications: >Frequency Range: 20Hz to 20kHz >Maximum SPL: 130dB SPL >Sensitivity: -40 dBFS at 1kHz >USB Mic with USB-C and USB-A Cables >Compatible with Mac and Windows >Low-Profile, Portable Design >Listen over Headphone or Computer Output   | piece | 2    |                               |                     |
| 13          | PORTABLE CONFERENCE SPEAKER PHONE >Built-in Omni-directional microphone >Digital signal processing technology >Wideband audio/HD voice >Plug and play connectivity to PC/laptop   | piece | 1    |                               |                     |
| 14          | USB CONFERENCE SPEAKERPHONE Specifications: >360 degree coverage enabling hands-free collaboration & allowing attendees to hear and be heard from all angles >Crystal clear sound without echoes or distorted sounds even at maximum volume level >Wideband audio/HD Voice >USB Cable   | piece | 2    |                               |                     |
| 15          | DESKTOP SPEAKER Product Details: Bluetooth audio input option for Bluetooth enabled devices Uniquely designed, upward angled satellites projects sound towards the listeners Transluscent satellite stands provides support, the structure reduces possible interference that originates from surfaces Master volume and bass adjustment dials located on the side panel of the subwoofer 3.5mm line-in jack located on the side of the subwoofer for connectivity to audio hosts | piece | 1    |                               |                     |

| Item<br>No. | Items/Descriptions  | Unit  | Qty. | Statement<br>of<br>Compliance | Bidder's<br>Remarks |
|-------------|---|-------|------|-------------------------------|---------------------|
| 16          | BLUETOOTH DESKTOP SPEAKER  Total Watt (RMS): 40W Subwoofer: 24W Satellites: 2 x 8W Bluetooth version: 4.1 Reliable 590 in (15-meter) line of sight range 0.14 in (3.5 mm) input: 1 RCA input: 1 Headphone jack: 1 Controls: Bluetooth pairing, power and volume control on wired control pod; bass control on back of subwoofer   | piece | 3    |                               |                     |
| 17          | USB Powered Desktop and Laptop Speaker  >USB powered, compact 2.0 multimedia speakers >Flat panel designed satellites >Magnetically shielded speakers >Built in power and volume controls >3.5mm auxiliary input and headphone jack   | piece | 4    |                               |                     |
| 18          | MONITOR  Specifications: >21.5 IN MONITOR >Input: VGA   | piece | 1    |                               |                     |
| 19          | 3 IN 1 SET KEYBOARD/MOUSE/MOUSEPAD  Keyboard: Ergonomic design with quiet keys designed for longevity, durability and responsiveness.  Mouse: 3200 DPI sensor that offers up to 10G of acceleration, 4000 FPS and a Teflon feet for ultrafine control.  Mousepad: Advanced multi-layer surface for both optical or laser sensor equipped mouse types, Anti-slip natural processed foam rubber, Stitched Edges | set   | 3    |                               |                     |

| Item<br>No. | Items/Descriptions  | Unit  | Qty. | Statement<br>of<br>Compliance | Bidder's<br>Remarks |
|-------------|---|-------|------|-------------------------------|---------------------|
| 20          | PROGRAMMABLE MOUSE  Resolution: 200 - 8,000dpi Max. acceleration: >25G Max. speed: >200ips USB data format: 16 bits/axis USB report rate: 1000 Hz (1ms) Microprocessor: 32-bit ARM Buttons (Left / Right): 10 million clicks OS: Windows and Mac  | piece | 5    |                               |                     |
| 21          | MOUSE Specifications: >DURABLE WIRED MOUSE / USB TYPE   | piece | 35   |                               |                     |
| 22          | KEYBOARD<br>>DURABLE WIRED KEYBOARD / USB TYPE  | piece | 30   |                               |                     |
| 23          | UNINTERRUPTIBLE POWER SUPPLY Specifications: >Battery Backup & Surge Protector for Electronics and Computers >Audible alarms >Provides notification of changing utility power and UPS power conditions >Automatic self-rest >Periodic battery self-test ensures early detection of a battery that needs to be replaces >Automatic Voltage Regulator (AVR) >Automatically steps up low volatege and steps down high voltage to levels that are suitable for your equipment >Battery backup and surge protection >Outlets provide abundant runtime for network gateway equipment >Battery backup and surge protection >Outlets provide abundant runtime for network gateway equipment and other critical low-power devices, allowing for hours of internet access during a power outage >LED indicators >Provide easy-to-read status of the unit and utility power conditions >Resettable circuit breakers >Enables a quick recovery from overload events >Max Configurable Power (Watts): 550Watts / 1.1kVA >Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof | unit  | 15   |                               |                     |

| Item<br>No. | Items/Descriptions   | Unit  | Qty. | Statement<br>of<br>Compliance | Bidder's<br>Remarks |
|-------------|--|-------|------|-------------------------------|---------------------|
| 24          | POWER BANK Specifications: Capacity: 30000 mAh Input: 5V==2.1A (Lightning)/5V==2.1A(Micro USB)/5V==2.1A(Type-C) Output: 5V==2.1A/5V==1A  | piece | 65   |                               |                     |
|             | WIRELESS DISPLAY DONGLE  |       |      |                               |                     |
| 25          | Resolution: at least 1080p Wireless: Wi-Fi 802.11ac (2.4GHz/5GHz) Power: 5V, 1A power supply Ports & Connectors: HDMI to plug directly into the Display Micro-USB power Operating Systems: Android, iOS, macOS and Windows                   | piece | 3    |                               |                     |
|             | CELLPHONE SIGNAL BOOSTER   |       |      |                               |                     |
| 26          | Repeater Frequency range (Mhz) UL 890-915Mhz DL 935- 960Mhz Gain (db) Up link≥65; Down link≥70 Output Power (Bm) ≥23dBm±3dBm Flatness ≤3dB Working voltage AC110~220V 50~60Hz Coverage area (M) 50~1000 square meters I/O impedence (Ω) 50 Ω | piece | 2    |                               |                     |
|             | PREPAID LTE POCKET WIFI  |       |      |                               |                     |
| 27          | Specifications:  >3G/HSPA/HSPA+/LTE+  >Navigate the online world with ease going at speeds of up to 42 Mbps  >LTE 700mHz ready for better indoor coverage in selected areas  >2000mAh removable battery  >Can support up to 5 WiFi users     | piece | 30   |                               |                     |
|             | WIFI REPEATER  |       |      |                               |                     |
| 28          | Two powerful high-gain external antennas give wider coverage and better performance Wireless function, make your wireless coverage larger Compatible with other brands router Transmission rate: 300Mbps                                     | piece | 5    |                               |                     |

| Item<br>No. | Items/Descriptions  | Unit  | Qty. | Statement<br>of<br>Compliance | Bidder's<br>Remarks |  |  |
|-------------|---|-------|------|-------------------------------|---------------------|--|--|
| 29          | Product Details: 2 Meters Interface: DP1.4 Male, DVI (24+1) Male Interface Technics: Gold-plated  | piece | 16   |                               |                     |  |  |
| 30          | USB 3.0 EXTENSION CABLE (MALE TO FEMALE)  USB 3.0 Type A male to female cable Length: at least 1.5 Meters   | piece | 10   |                               |                     |  |  |
| 31          | USB OTG - ON THE GO USB Specifications: 1. Dual Drive M3.0 for Android/Smartphone Devices and Computers 2. 32GB 3. High Speed USB 3.0 performance up to 150MB/s 4. Retractable design with micro-USB and USB 3.0 connectors | piece | 50   |                               |                     |  |  |
|             | TOTAL BID PRICE (IN FIGURES)  |       |      |                               |                     |  |  |

| BID PRICE (IN WORDS)                          |                       |
|---|-----------------------|
|   |                       |
| Note: The above quoted prices are VAT inclusi | ve and delivery cost. |
| Very truly yours,                             |                       |
| Name of Company / Bidder                      |                       |
| Name/Signature of Authorized Representative   |                       |