



# DSWD

Department of Social Welfare and Development

## Supplemental/Bid Bulletin

Addendum No. 1

October 29, 2020

ITB No. DSWD7-PB-2020-35

### SUPPLY AND DELIVERY OF ICT EQUIPMENT FOR DSWD FIELD OFFICE VII

Issued pursuant to Section 22.5 of the IRR of Republic Act 9184 to clarify and/or amend certain provision on the Bidding Documents issued for this project, considering the issues raised and clarifications made by prospective bidders during the Prebid Conference held on **October 29, 2020**, and shall form an integral part thereof, viz:

Subject	Amendment/Agreement/Clarification
Section III. Bid Data Sheet	<ul style="list-style-type: none"><li>• SLCC for this project was modified from 50% to <b>25% which equivalent to Five Hundred Nine Thousand Five Hundred Seventy-Six pesos and 76/100 (Php 519,576.76).</b></li></ul> <p><i>A revised Section III. Bid Data Sheet is hereby attached for the purpose.</i></p>
Section VI. Schedule of Delivery	<ul style="list-style-type: none"><li>• <i>Some of the specification of the items were modified and corrected. Details are as follows:</i><ul style="list-style-type: none"><li>✦ <b>ITEM No. 2 - CAT 6 UTP CABLE (BLUE) 305 M</b> Product Details: UTP Cable (Unshielded Twisted Pairs) CAT6E, Indoors 4Pairs Inside Material: CCA (Copper Clad Aluminum) Outside Material: PVC Jacket</li><li>✦ <b>ITEM No. 3 - COMPUTER HEADSET</b> Product Details: Reinforced Padded Headband Noise &amp; Echo Cancellation Optimized for Voice &amp; Music (with microphone) Hear Safely USB 2.0 port</li><li>✦ <b>ITEM No. 5 - DESKTOP CAMERA</b> Product Details: Full HD 1080p video calling (up to 1920 x 1080 pixels) with the latest version of Skype for Windows H.264 video compression, Built-in dual stereo mics with automatic noise reduction. Automatic low-light correction, Tripod-ready universal clip fits laptops, LCD or monitors HD video calls on Windows-based PCs or on any HDTV with HDMI connection from a PC-laptop Output: USB Port 2.0 at least</li></ul></li></ul>

✦ **ITEM No. 7 - DESKTOP MICROPHONE**

Product Details:

Style: Tabletop

Microphone-Core: Dia: 14mm Condenser

Frequency Response: 20Hz~20KHz

Sensitivity: -35dB+/-3dB (0dB=1V/Pa at 1kHz)

Maximum SPL: 110dB

S/N Ratio: 70dB

Sampling Rate: 44.1kHz/48kHz; 16bit

Add-on Cable: USB A to C Cable 1.0M

✦ **ITEM No. 8 - DESKTOP MOTHERBOARD**

Product Details:

CPU: Intel® Socket 1151 9th/8th Gen Intel®

Core™, Pentium®Gold and Celeron® Processors

Chipset: Intel® B360

Operating System: Windows® 10 64-bit

Memory: 4 x DIMM, Max. 64GB, DDR4

Graphic: Integrated Graphics Processor-Intel HD Graphics Support

Multi-VGA Output Support: HDMI/Display Ports/DVD-D

Storage: Intel® B360 Chipset; 1 x M.2 Socket3, with M key, type 2242/2260/2280 storage devices support (both SATA & PCIE 3.0 x 2 mode),

1 x M.2 Socket 3, with M key, type 2242/2260/2280/22110 storage devices support (PCIE 3.0 x 4 mode), 6 x SATA 6Gb/s port(s), Intel® Optane™ Memory Ready

LAN: Intel® I219V, Dual interconnect between the Integrated Media Access Controller (MAC) and Physical Layer (PHY), Anti-surge LANGuard,

USB Ports: 1 x HDMI, 1x DVi, 1x LAN (RJ45), 2x USB 3.1 gen 2 Type-A, 2x USB 3.1 Gen 1, 2x USB 2.0

Internal I/O Ports: 1 x USB 3.1 Gen 1 (up to 5Gbps) connector, 1 x USB 2.0 Connector, 1 x M.2 Socket 3 with M Key, type 2242/2260/2280 storage devices support (SATA & PCIE 3.0 X2 mode), 1 x M.2 Socket 3 with M key, type 2242/2260/2280 storage devices support (PCIE 3.0 x 4 mode) 6x SATA 6Gb/s

BIOS: 1 x 128 Mb Flash ROM, UEFI AMI BIOS, PnP, SM BIOS 3.1, ACPI 6.1

Dimensions (LxWxH): 42cm x 16cm x 36cm

✦ **ITEMS No. 11 - EXTERNAL HARD DRIVE 2 TB SLIM 3.1**

Product Details:

Storage Capacity: 2 TB

Memory Size: 2 TB

Color: Black or Blue

Hard Drive Interface: at least USB 3.0

	<p>✦ <b>ITEM No. 15 - HEAVY DUTY EXTENSION CORD</b>  Product Details:  1 illuminated switch  4 outlets (3-prong with grounding) with surge protector to prevent fire and appliance breakage  3 meter Royal Cord  Maximum 2500 watts  Lifetime Service Warranty</p> <p>✦ <b>ITEM No. 16 - NETWORK SWITCH (16 Port)</b>  Product Details:  10/100/1000Mbps ports  Supports MAC address self-learning, Auto MDI/MDIX and Auto negotiation  with 16 Gigabit auto negotiation RJ45 ports  10KB Jumbo frame  Plug and play, no configuration needed</p> <p>✦ <b>ITEM No. 17 - OUTDOOR UTP CABLE</b>  Product Details:  HIGH PERFORMANCE NETWORK CABLE. Our outdoor cat 6 lan cable is 23 AWG with 4 pairs (8C). Suitable for Fast, Gigabit, and 10-Gigabit Ethernet. Supports bandwidth of up to 550 MHz  HASSLE FREE PACKAGING. 1000 feet (305 meters) packaged on a tangle free, easy pull reel/spool  FOR USE INDOORS &amp; OUTDOORS. Designed to withstand sunlight, dirt and moisture. Rugged and durable for extreme environments. Bury directly in the ground or use in conduit. Connect to: computers, printers, gaming consoles, routers, ethernet extenders, switch boxes, VoIP phones, IP cameras, PoE devices, etc.</p> <p>✦ <b>ITEM No. 21 - PROGRAMMABLE MOUSE</b>  Product Details:  Resolution: 200 - 8,000 dpi  Max. acceleration: &gt;25G  Max. speed: &gt;200 ips  USB data format: 16 bits/axis  USB report rate: 1000 Hz (1ms)  Microprocessor: 32-bit ARM  Buttons (Left / Right): 10 million clicks  Number of Buttons: at least 5  Windows® 7 or later</p> <p>✦ <b>ITEM No. 26 - USB OTG TYPE C (32GB)</b>  Product Details:  Interface: at least USB 3.0 &amp; OTG Android Type-C  32 GB Storage  Compatibility: Windows 7, Windows 8, Windows 10</p>
--	--

- ✦ **ITEM No. 27 - USB OTG TYPE C (64GB)**  
Product Details:  
Interface: at least USB 3.0 & OTG Android Type-C  
64 GB Storage  
Compatibility: Windows 7, Windows 8, Windows 10
  
- ✦ **ITEM No. 28 - VELCRO STRAP CABLE**  
Product Details:  
Velcro Strap (10pcs)/pack  
Dimensions 15cm x 1.5cm  
*\*the unit for this items has been changed from piece to pack*
  
- ✦ **ITEM No. 30 - WALL CORD COVER CABLE CONCEALER/DUCT**  
Product Details:  
Material: PVC  
Size: 40cm x 126"
  
- ✦ **ITEM No. 33 - COMPUTER KEYBOARD**  
Connectivity - Wired, Interface-USB  
Round Edge keycaps, Laser Inscribed Keys
  
- ✦ **ITEM No. 36 - WEBCAM**, For Teleconference  
Full HD 1080P, Wide-Angle  
Pan & Tilt Rotation, USB Plug  
For PC and Laptop
  
- ✦ **ITEM No. 39 - UNINTERRUPTIBLE POWER SUPPLY**  
Output: 600VA to 650VA, 350-400 Watts; Outlet: at least 3 outlets and at least 2 Universal outlets; Input: 220V to 230V; Surge Protection: All outlets; Battery: Maintenance-free, sealed leak-acid and leak proof; Features: LED Indicator and Audible Alarms, AVR, USB Connector for additional management, Push Button Circuit Breaker; Warranty: at least 1 year
  
- ✦ **ITEM No. 41 - POCKET WIFI**, open-line
  
- ✦ **ITEM No. 42 - TABLET**, 10" Display, 4GB RAM + 64GB ROM, Front Camera: 5MP minimum  
Back Camera: 10MP minimum  
With WIFI  
With Sim card slot

*A revised Section VI. Schedule of Requirements is hereby attached for the purpose.*



<b>Section VII. Technical Specifications</b>	<ul style="list-style-type: none"> <li>• Changes in the specification of the items per lot in Section VI. Schedule of Requirements shall reflect in this section as well.</li> </ul> <p><i>A revised Section VII. Technical Specifications is hereby attached for the purpose.</i></p>
<b>Financial Proposal Sheet</b>	<ul style="list-style-type: none"> <li>• Changes in the specification of the items per lot in Section VI. Schedule of Requirements and Section VII. Technical Specifications shall reflect in this section as well.</li> </ul> <p><i>A revised Financial Proposal Sheet is hereby attached for the purpose.</i></p>

Attached herewith is the revised **Section III. Bid Data Sheet, Section VI. Schedule of Requirements, Section VII. Technical Specifications, and Financial Proposal Sheet.**

For guidance and information of all concerned.

  
**GRAEME FERDINAND D. ARMECIN**  
 Chairperson, Bids and Awards Committee I

## *Revised Section III. Bid Data Sheet*

ITB Clause	
1.1	<p>The Procuring Entity is <i>Department of Social Welfare and Development, Field Office VII</i></p> <p>The name of the Contract is <i>Supply and Delivery of ICT Equipment for DSWD Field Office VII.</i></p> <p>The identification number of the Contract is <i>ITB No. DSWD7-PB-2020-35.</i></p>
1.2	<p>The lot and reference are:</p> <p><i>Supply and Delivery of ICT Equipment for DSWD Field Office VII - ITB No. DSWD7-PB-2020-35.</i></p>
2	<p>The Funding Source is:</p> <p>The Government of the Philippines (GOP) through the authorized appropriations for <i>FY 2020 General Appropriations Act</i> in the amount of <i>Two Million Seventy-Eight Thousand Three Hundred Seven Pesos and 3/100 (₱2,078,307.03).</i></p> <p>The name of the Project is: <i>Supply and Delivery of ICT Equipment for DSWD Field Office VII</i></p>
3.1	No further instructions.
5.1	No further instructions.
5.2	Foreign bidders, except those falling under <b>ITB</b> Clause 5.2(b), may not participate in this Project.
5.4	<p>The Bidder must have completed, within the period specified in the Invitation to Bid and <b>ITB</b> Clause 12.1(a)(ii), a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC <b>equivalent to ₱ 519,576.76.</b></p> <p>For this purpose, similar contracts shall refer to <i>Supply and Delivery of ICT Equipment for DSWD Field Office VII</i></p>
5.5	<p>NFCC should be at least equal to the ABC which is <b>₱ 2,078,307.03</b>, or if</p> <p><b>Credit Line</b> should be at least equal to 10% of the ABC or <b>₱ 207,830.70</b></p>
7	No further instructions.
8.1	"Subcontracting is not allowed."
8.2	"Not applicable".

9.1	The Procuring Entity will hold a pre-bid conference for this Project on <b>October 29, 2020 at 1:30 PM</b> in the <b>DSWD Conference Room, Cebu City</b> which shall be open to prospective bidders. However, as per Procuring Entity's Health Protocol, visitors to be accommodated in the field office shall be limited, therefore, interested bidders are encouraged to join us through <b>video-conferencing via Google Meet using the code: procurement7</b> .
10.1	<p>The Procuring Entity's address is:</p> <p><i>Department of Social Welfare and Development, Field Office VII Cor. M.J. Cuenco and Gen. Maxilom Ave., Cebu City Telefax No. (032) 233-8785 local 140 Contact person:</i></p> <p><b>MS. AILEEN G. CUEVAS</b>  <i>Head, BAC Secretariat DSWD – Field Office VII M.J. Cuenco corner Gen. Maxilom Avenue, Cebu City Tel. Nos. (032) 2338785 local 140 Email Add: <a href="mailto:bac.fo7@dswd.gov.ph">bac.fo7@dswd.gov.ph</a> Website: <a href="https://fo7.dswd.gov.ph/">https://fo7.dswd.gov.ph/</a></i></p>
12.1(a)	No further instructions.
12.1(a)(ii)	The bidder's SLCC similar to the contract to be bid should have been completed within <b>three (3) years</b> prior to the deadline for the submission and receipt of bids.
13.1	"No additional requirements."
13.1(b)	No further instructions.
13.1(c)	"No additional requirements."
13.2	The ABC is <b>Two Million Seventy-Eight Thousand Three Hundred Seven Pesos and 3/100 (₱2,078,307.03)</b> .
15.4(a)(iv)	"No incidental services are required."
15.4(b)	<p>"Not applicable"</p> <p>"No incidental services are required."</p>
16.1(b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos.
16.3	"Not applicable"
17.1	Bids will be valid until <b>120 calendar days from bid opening</b> .
18.1	The <b>bid security</b> shall be in the form of a <b>Bid Securing Declaration</b> , or any of the following forms and amounts:

	<p>1. The amount of not less than <b>₱ 42,566.14</b> [2% of ABC], if bid security is in <b>cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit</b>; or</p> <p>2. The amount of not less than <b>₱ 103,915.35</b> [5% of ABC] if bid security is in <b>Surety Bond</b>.</p>
18.2	The bid security shall be valid until <b>120 calendar days</b> from the date of opening of bids.
20.3	Each Bidder shall submit <i>one (1)</i> original and <i>one (1)</i> copy of the first and second components of its bid. <b><i>Copy 1 should be a replica of the original as to appearance and contents.</i></b>
21	<p>The address for submission of bids is at:  <b>BAC Secretariat Office, G/F DSWD, Field Office VII.</b>  <b>M.J. Cuenco corner Gen. Maxilom Avenue, Cebu City 6000</b></p> <p>The deadline for submission of bids is on <b>November 10, 2020, 1:15 PM</b></p>
24.1	<p>The place of bid opening is at:  <b>DSWD-FO VII KC Conference Room, Cebu City</b>  <b>M.J. Cuenco corner Gen. Maxilom Avenue, Cebu City 6000</b></p> <p>The date and time of bid opening is on <b>November 10, 2020, 1:30 PM</b></p>
24.2	No further instructions.
24.3	No further instructions.
27.1	No further instructions.
28.3 (a)	<p><b>Grouping and Evaluation of Lots --</b></p> <p>Partial bid is not allowed. The goods are grouped in <b>single lot</b> and this lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.</p> <p>In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.</p>
28.4	No further instructions.
29.2	<i>"No additional requirement."</i>
32.4(f)	<i>"No additional requirement."</i>

## ***Revised Section VI. Schedule of Requirements***

The delivery schedule expressed as weeks/months stipulates hereafter the date of door-to-door delivery to the project site.

Item No.	Items/Descriptions	Unit	Qty.	Delivery Schedule
1.	<b>AA BATTERIES (4 pcs)</b> Product Details: Package Quantity: 4 Classification: Alkaline Chemical System: Zinc-Manganese Dioxide (Zn/MnO <sub>2</sub> ) Designation: ANSI-15A, IEC-LR6 Nominal Voltage: 1.5 volts Operating Temp: -18°C to 55°C (0°F to 130°F) Typical Weight: 23.0 grams (0.8 oz.) Typical Volume: 8.1 cubic centimeters (0.5 cubic inch) Jacket: Plastic Label Terminal: Flat Contact	PACK	<b>20</b>	<b>Shall be fully delivered to DSWD Field Office VII, Cebu City within 30 calendar days from receipt of Notice to Proceed</b>
2.	<b>CAT 6 UTP CABLE (BLUE) 305 M</b> Product Details: UTP Cable (Unshielded Twisted Pairs) CAT6E, Indoors 4Pairs Inside Material: CCA (Copper Clad Aluminum) Outside Material: PVC Jacket	BOX	<b>5</b>	
3.	<b>COMPUTER HEADSET</b> Product Details: Reinforced Padded Headband Noise & Echo Cancellation Optimized for Voice & Music (with microphone) Hear Safely USB 2.0 port	PIECE	<b>113</b>	
4.	<b>CURVED HD MONITOR</b> Product Details: Panel Size 23:6" (60cm) Panel Resolution 1920 x 1080 (FHD) Refresh Rate 75Hz Response time: 1 ms Viewing Angle: 178° (H) / 178° (V) Management Power Input 100~240V, 50~60Hz Power Consumption: 45W Signal Frequency: 30 to 80KHz (H) Dimension (W x H x D) : 543 x 403 x 192 mm HDMI: 1920 x 1080 (Up to 75Hz)	PIECE	<b>14</b>	

5.	<b>DESKTOP CAMERA</b> Product Details: Full HD 1080p video calling (up to 1920 x 1080 pixels) with the latest version of Skype for Windows H.264 video compression, Built-in dual stereo mics with automatic noise reduction. Automatic low-light correction, Tripod-ready universal clip fits laptops, LCD or monitors HD video calls on Windows-based PCs or on any HDTV with HDMI connection from a PC-laptop Output: USB Port 2.0 at least	PIECE	<b>5</b>	
6.	<b>DESKTOP CASING</b> Product Details: Super speed USB 3.0 x 2 HD Audio + USB x 2 BAYS2x 3.5" bays 4x SSD support4x PCI expansion slots (reusable covers) FANS Front 3x 120mm optional with Radiator support Top 2x 120 / 140mm optional with Radiator support Rear 120mm fan (included) SUPPORT AND CLEARANCE Supports iTX/mATX motherboards 393mm Maximum GPU card length	PIECE	<b>8</b>	
7.	<b>DESKTOP MICROPHONE</b> Product Details: Style: Tabletop Microphone-Core: Dia: 14mm Condenser Frequency Response: 20Hz~20KHz Sensitivity: -35dB+/-3dB (0dB=1V/Pa at 1kHz) Maximum SPL: 110dB S/N Ratio: 70dB Sampling Rate: 44.1kHz/48kHz; 16bit Add-on Cable: USB A to C Cable 1.0M	PIECE	<b>5</b>	
8.	<b>DESKTOP MOTHERBOARD</b> Product Details: CPU: Intel® Socket 1151 9th/8th Gen Intel® Core™, Pentium®Gold and Celeron® Processors Chipset: Intel® B360 Operating System: Windows® 10 64-bit Memory: 4 x DIMM, Max. 64GB, DDR4 Graphic: Integrated Graphics Processor-Intel HD Graphics Support Multi-VGA Output Support: HDMI/Display Ports/DVD-D Storage: Intel® B360 Chipset; 1 x M.2 Socket3, with M key, type 2242/2260/2280 storage devices support (both SATA & PCIE 3.0 x 2	PIECE	<b>8</b>	

	<p>mode),  1 x M.2 Socket 3, with M key, type 2242/2260/2280/22110 storage devices support (PCIe 3.0 x 4 mode), 6 x SATA 6Gb/s port(s), Intel® Optane™ Memory Ready  LAN: Intel® I219V, Dual interconnect between the Integrated Media Access Controller (MAC) and Physical Layer (PHY), Anti-surge LANGuard,  USB Ports: 1 x HDMI, 1x DVi, 1x LAN (RJ45), 2x USB 3.1 gen 2 Type-A, 2x USB 3.1 Gen 1, 2x USB 2.0  Internal I/O Ports: 1 x USB 3.1 Gen 1 (up to 5Gbps) connector, 1 x USB 2.0 Connector, 1 x M.2 Socket 3 with M Key, type 2242/2260/2280 storage devices support (SATA &amp; PCIe 3.0 X2 mode), 1 x M.2 Socket 3 with M key, type 2242/2260/2280 storage devices support (PCIe 3.0 x 4 mode) 6x SATA 6Gb/s  BIOS: 1 x 128 Mb Flash ROM, UEFI AMI BIOS, PnP, SM BIOS 3.1, ACPI 6.1  Dimensions (LxWxH): 42cm x 16cm x 36cm</p>			
9.	<p><b>DESKTOP PROCESSOR</b>  Product Details:  9th Gen Intel Processor  Intel UHD Graphics 630  Socket LGA 1151 (300 Series)  Max Turbo Frequency 4.1 GHz  DDR4 Support  i5-9400 Coffee Lake</p>	PIECE	<b>8</b>	
10.	<p><b>DESKTOP SPEAKER</b>  Product Details:  Bluetooth audio input option for Bluetooth enabled devices  Uniquely designed, upward angled satellites projects sound towards the listeners  Translucent satellite stands provides support, the structure reduces possible interference that originates from surfaces  Master volume and bass adjustment dials located on the side panel of the subwoofer  3.5mm line-in jack located on the side of the subwoofer for connectivity to audio hosts</p>	PIECE	<b>3</b>	
11.	<p><b>EXTERNAL HARD DRIVE 2 TB SLIM 3.1</b>  Product Details:  Storage Capacity: 2 TB  Memory Size: 2 TB  Color: Black or Blue  Hard Drive Interface: at least USB 3.0</p>	PIECE	<b>144</b>	



12.	<b>EXTERNAL OPTICAL DISK DRIVE</b> Product Details: Portable and compact, easy to carry. Standard USB 3.0, backwards compatible with USB 2.0, USB 1.1, up to 5Gbps data transfer rate. Portable and compact, easy to carry. Plug and play, no driver needed.	PIECE	<b>2</b>	
13.	<b>GRAPHICS PROCESSING UNIT</b> Product Details: Core/Memory - Boost Clock 1455 MHz / Base Clock 1341 MHz 4096 MB GDDR5 / 7008 MHz Memory Outside Material: PVC Jacket Video Output Function - Display Port x 1, HDMI x 1, Dual-link DVI-D x 1 DirectX 12 Ready	PIECE	<b>8</b>	
14.	<b>HDMI TO HDMI CABLE</b> Product Details: High-speed HDMI to HDMI cable Works with HDTVs, digital cameras/camcorders, MP3 players, and other HDMI devices Supports Ethernet, 3D, and Audio Return Durable braided design against wear and tear Cable length: 10 meters	PIECE	<b>10</b>	
15.	<b>HEAVY DUTY EXTENSION CORD</b> Product Details: 1 illuminated switch 4 outlets (3-prong with grounding) with surge protector to prevent fire and appliance breakage 3 meter Royal Cord Maximum 2500 watts Lifetime Service Warranty	PIECE	<b>10</b>	
16.	<b>NETWORK SWITCH (16 Port)</b> Product Details: 10/100/1000Mbps ports Supports MAC address self-learning, Auto MDI/MDIX and Auto negotiation with 16 Gigabit auto negotiation RJ45 ports 10KB Jumbo frame Plug and play, no configuration needed	PIECE	<b>10</b>	



17.	<b>OUTDOOR UTP CABLE</b> Product Details: HIGH PERFORMANCE NETWORK CABLE. Our outdoor cat 6 lan cable is 23 AWG with 4 pairs (8C). Suitable for Fast, Gigabit, and 10-Gigabit Ethernet. Supports bandwidth of up to 550 MHz HASSLE FREE PACKAGING. 1000 feet (305 meters) packaged on a tangle free, easy pull reel/spool <b>FOR USE INDOORS &amp; OUTDOORS.</b> Designed to withstand sunlight, dirt and moisture. Rugged and durable for extreme environments. Bury directly in the ground or use in conduit. Connect to: computers, printers, gaming consoles, routers, ethernet extenders, switch boxes, VoIP phones, IP cameras, PoE devices, etc.	BOX	<b>1</b>	
18.	<b>PC VACUUM CLEANER</b> Product Details: Portable super vacuum cleaner High-power super suction Ergonomic caring service Rated Voltage: 12V automotive voltage Rated Speed: 900 (Rmin) Vacuum Suction: 900mbar Size: 28*7.5*11cm	PIECE	<b>3</b>	
19.	<b>POWER CABLE FOR DESKTOP</b> Product Details: Durable, portable and practical Interface: US Standard Plug Cable length: 1.2m Input: 10A 240V AC Convenient and easy to use Compatible with variety of devices	PIECE	<b>100</b>	
20.	<b>POWER SUPPLY UNIT</b> Product Details: High efficiency with 80 PLUS certification 24/7 continuous power output with 40°C operating temperature Class-leading single +12V rail Active PFC Circuitry PCI-E 8pin and PCI-E 6pin connector support Silent running 120mm fan with 18dBA 600Watts True Rated	PIECE	<b>8</b>	

21.	<b>PROGRAMMABLE MOUSE</b> Product Details: Resolution: 200 - 8,000 dpi Max. acceleration: >25G Max. speed: >200 ips USB data format: 16 bits/axis USB report rate: 1000 Hz (1ms) Microprocessor: 32-bit ARM Buttons (Left / Right): 10 million clicks Number of Buttons: at least 5 Windows® 7 or later	PIECE	<b>10</b>	
22.	<b>RAM (8GB x 2)</b> Product Details: Memory Size: 16GB Kit (2 x 8GB) Frequency: DDR4-3200 MHz Timing: 16-18-18-38 (XMP 3200MHz) Voltage: 1.35V (when XMP enable) High efficient heat spreaders to keep performance	PIECE	<b>8</b>	
23.	<b>RJ45 CAT6 CONNECTOR</b> Product Details: End Passthrough Ethernet 8P8C Gold Plated Modular Plug 100 pieces / pack	PACK	<b>30</b>	
24.	<b>SOLID STATE DRIVE</b> Product Details: 1,000 GB SATA 6 Gb/s Interface, compatible with SATA 3 Gb/s & SATA 1.5 Gb/s interface Up to 550 MB/s Sequential Read Up to 520 MB/s Sequential Write 2.5" SATA III Dimensions: 3.94" x 2.76" x 0.27"	PIECE	<b>9</b>	
25.	<b>USB HUB</b> Product Details: [ 4 USB 3.0 PORTS ] - Reasonable USB interface layout, can support four USB high-speed devices simultaneously, and Short USB cable attached to prevent connection conflicts with other USB ports on your notebook or desktop PC USB 3.0, supports high speed (5G Mbps), full speed (480Mbps) and low speed (12Mbps) USB device configuration files. Connect to all computers; also connected to scanners, printers, digital cameras, mice, keyboards, external hard drives, MP3 players, etc.	PIECE	<b>8</b>	

	<p>[ SUPER-SPEED TRANSMISSION ] - The USB port extender can maintain data transfer speeds of up to 5 Gbps without affecting other plug-ins, and better transfer movies and office productivity.</p> <p>[ PLUG AND PLAY ] - Does not require any software, drivers, or complicated installation process</p>			
26.	<p><b>USB OTG TYPE C (32GB)</b>  Product Details:  Interface: at least USB 3.0 &amp; OTG Android Type-C  32 GB Storage  Compatibility: Windows 7, Windows 8, Windows 10</p>	PIECE	<b>8</b>	
27.	<p><b>USB OTG TYPE C (64GB)</b>  Product Details:  Interface: at least USB 3.0 &amp; OTG Android Type-C  64 GB Storage  Compatibility: Windows 7, Windows 8, Windows 10</p>	PIECE	<b>8</b>	
28.	<p><b>VELCRO STRAP CABLE</b>  Product Details:  Velcro Strap (10pcs)/pack  Dimensions 15cm x 1.5cm</p>	PACK	<b>50</b>	
29.	<p><b>WALL ADHESIVE</b>  Product Details:  Nail Free Adhesive  All Purpose Grab Adhesive  High Initial Grab  Styrene Safe  Water Resistant  320g</p>	PIECE	<b>5</b>	
30.	<p><b>WALL CORD COVER CABLE CONCEALER/DUCT</b>  Product Details:  Material: PVC  Size: 40cm x 126"</p>	PIECE	<b>5</b>	
31.	<p><b>COMPUTER MOUSE</b> - Wired PS2 Mouse (Black)  Resolution: 800 DPI</p>	UNIT	<b>5</b>	

32.	<b>COMPUTER MOUSE</b> - Wired USB Mouse (BLACK) Resolution: 1000 DPI Works on most surface, Operating System- Windows 2000/XP/2003/Vista/7/8	UNIT	<b>70</b>	
33.	<b>COMPUTER KEYBOARD</b> Connectivity - Wired, Interface-USB Round Edge keycaps, Laser Inscribed Keys	UNIT	<b>170</b>	
34.	<b>PORTABLE EXTERNAL DRIVE</b> Solid State Drive Capacity: 1TB Shock Resistant Compatible with PC and Mac Computers	UNIT	<b>2</b>	
35.	<b>MICROPHONE</b> , Omni-Directional Condenser For PC/LAPTOP Style: Tabletop High Sensitivity Microphone USB Plug and Play Pickup Distance: Up to 3 meters	PIECE	<b>1</b>	
36.	<b>WEBCAM</b> , For Teleconference Full HD 1080P, Wide-Angle Pan & Tilt Rotation, USB Plug For PC and Laptop	PIECE	<b>4</b>	
37.	<b>CAMERA WEBCAM for PC/Laptop computer, USB Type</b> Specification: - 360 degree rotation webcam - Full HD 1080P, high-definition picture quality - cable length: approx 115cm - focal length: 8mm-infinity	PIECE	<b>100</b>	
38.	<b>PRINTER</b> , Multifunctional, WiFi All-In-One Ink Tank, All in one with ink tank system, technology inkjet, 5760 x 1440 max resolution	PIECE	<b>6</b>	
39.	<b>UNINTERRUPTIBLE POWER SUPPLY</b> Output: 600VA to 650VA, 350-400 Watts; Outlet: at least 3 outlets and at least 2 Universal outlets; Input: 220V to 230V; Surge Protection: All outlets; Battery: Maintenance-free, sealed leak-acid and leak proof; Features: LED Indicator and Audible Alarms, AVR, USB Connector for additional management, Push Button Circuit Breaker; Warranty: at least 1 year	UNIT	<b>15</b>	

40.	<b>POWERBANK</b> , 20,000 MAH, Dual USB Output	PIECE	<b>3</b>	
41.	<b>POCKET WIFI</b> , open-line	PIECE	<b>2</b>	
42.	<b>TABLET</b> , 10" Display, 4GB RAM + 64GB ROM, Front Camera: 5MP minimum Back Camera: 10MP minimum With WIFI With Sim card slot	PIECE	<b>4</b>	

I hereby certify to comply and deliver the goods as indicated above.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Bidder's Signature over Printed Name

Date: \_\_\_\_\_

## ***Revised Section VII. Technical Specifications***

Bidders must state either “Comply” or “Not Comply” at the **Statement of Compliance** column against each of the individual parameters of each Specification. The **brand** and **model number** must be indicated at the Bidder’s Remarks if applicable.

Item No.	Items/Descriptions	Statement of Compliance	Bidder’s Remarks
1.	<b>AA BATTERIES (4 pcs)</b> Product Details: Package Quantity: 4 Classification: Alkaline Chemical System: Zinc-Manganese Dioxide (Zn/MnO <sub>2</sub> ) Designation: ANSI-15A, IEC-LR6 Nominal Voltage: 1.5 volts Operating Temp: -18°C to 55°C (0°F to 130°F) Typical Weight: 23.0 grams (0.8 oz.) Typical Volume: 8.1 cubic centimeters (0.5 cubic inch) Jacket: Plastic Label Terminal: Flat Contact		
2.	<b>CAT 6 UTP CABLE (BLUE) 305 M</b> Product Details: UTP Cable (Unshielded Twisted Pairs) CAT6E, Indoors 4Pairs Inside Material: CCA (Copper Clad Aluminum) Outside Material: PVC Jacket		
3.	<b>COMPUTER HEADSET</b> Product Details: Reinforced Padded Headband Noise & Echo Cancellation Optimized for Voice & Music (with microphone) Hear Safely USB 2.0 port		
4.	<b>CURVED HD MONITOR</b> Product Details: Panel Size 23:6" (60cm) Panel Resolution 1920 x 1080 (FHD) Refresh Rate 75Hz Response time: 1 ms Viewing Angle: 178° (H) / 178° (V) Management Power Input 100~240V, 50~60Hz Power Consumption: 45W Signal Frequency: 30 to 80KHz (H) Dimension (W x H x D) : 543 x 403 x 192 mm HDMI: 1920 x 1080 (Up to 75Hz)		

5.	<b>DESKTOP CAMERA</b> Product Details: Full HD 1080p video calling (up to 1920 x 1080 pixels) with the latest version of Skype for Windows H.264 video compression, Built-in dual stereo mics with automatic noise reduction. Automatic low-light correction, Tripod-ready universal clip fits laptops, LCD or monitors HD video calls on Windows-based PCs or on any HDTV with HDMI connection from a PC-laptop Output: USB Port 2.0 at least		
6.	<b>DESKTOP CASING</b> Product Details: Super speed USB 3.0 x 2 HD Audio + USB x 2 BAYS2x 3.5" bays 4x SSD support4x PCI expansion slots (reusable covers) FANS Front 3x 120mm optional with Radiator support Top 2x 120 / 140mm optional with Radiator support Rear 120mm fan (included) SUPPORT AND CLEARANCE Supports iTX/ mATX motherboards 393mm Maximum GPU card length		
7.	<b>DESKTOP MICROPHONE</b> Product Details: Style: Tabletop Microphone-Core: Dia: 14mm Condenser Frequency Response: 20Hz~20KHz Sensitivity: -35dB+/-3dB (0dB=1V/Pa at 1kHz) Maximum SPL: 110dB S/N Ratio: 70dB Sampling Rate: 44.1kHz/48kHz; 16bit Add-on Cable: USB A to C Cable 1.0M		
8.	<b>DESKTOP MOTHERBOARD</b> Product Details: CPU: Intel® Socket 1151 9th/8th Gen Intel® Core™, Pentium®Gold and Celeron® Processors Chipset: Intel® B360 Operating System: Windows® 10 64-bit Memory: 4 x DIMM, Max. 64GB, DDR4 Graphic: Integrated Graphics Processor-Intel HD Graphics Support Multi-VGA Output Support: HDMI/Display Ports/DVD-D Storage: Intel® B360 Chipset; 1 x M.2 Socket3, with M key, type 2242/2260/2280 storage devices support (both SATA & PCIE 3.0 x 2 mode), 1 x M.2 Socket 3, with M key, type 2242/2260/2280/22110 storage devices support (PCIE 3.0 x 4 mode), 6 x SATA 6Gb/s port(s), Intel® Optane™ Memory Ready LAN: Intel® I219V, Dual interconnect between the		

	<p>Integrated Media Access Controller (MAC) and Physical Layer (PHY), Anti-surge LANGuard,  USB Ports: 1 x HDMI, 1x DVi, 1x LAN (RJ45), 2x USB 3.1 gen 2 Type-A, 2x USB 3.1 Gen 1, 2x USB 2.0  Internal I/O Ports: 1 x USB 3.1 Gen 1 (up to 5Gbps) connector, 1 x USB 2.0 Connector, 1 x M.2 Socket 3 with M Key, type 2242/2260/2280 storage devices support (SATA &amp; PCIE 3.0 X2 mode), 1 x M.2 Socket 3 with M key, type 2242/2260/2280 storage devices support (PCIE 3.0 x 4 mode) 6x SATA 6Gb/s  BIOS: 1 x 128 Mb Flash ROM, UEFI AMI BIOS, PnP, SM BIOS 3.1, ACPI 6.1  Dimensions (LxWxH): 42cm x 16cm x 36cm</p>		
9.	<p><b>DESKTOP PROCESSOR</b>  Product Details:  9th Gen Intel Processor  Intel UHD Graphics 630  Socket LGA 1151 (300 Series)  Max Turbo Frequency 4.1 GHz  DDR4 Support  i5-9400 Coffee Lake</p>		
10.	<p><b>DESKTOP SPEAKER</b>  Product Details:  Bluetooth audio input option for Bluetooth enabled devices  Uniquely designed, upward angled satellites projects sound towards the listeners  Translucent satellite stands provides support, the structure reduces possible interference that originates from surfaces  Master volume and bass adjustment dials located on the side panel of the subwoofer 3.5mm line-in jack located on the side of the subwoofer for connectivity to audio hosts</p>		
11.	<p><b>EXTERNAL HARD DRIVE 2 TB SLIM 3.1</b>  Product Details:  Storage Capacity: 2 TB  Memory Size: 2 TB  Color: Black or Blue  Hard Drive Interface: at least USB 3.0</p>		
12.	<p><b>EXTERNAL OPTICAL DISK DRIVE</b>  Product Details:  Portable and compact, easy to carry.  Standard USB 3.0, backwards compatible with USB 2.0, USB 1.1, up to 5Gbps data transfer rate.  Portable and compact, easy to carry. Plug and play, no driver needed.</p>		
13.	<p><b>GRAPHICS PROCESSING UNIT</b>  Product Details:  Core/Memory - Boost Clock 1455 MHz /  Base Clock 1341 MHz</p>		



	4096 MB GDDR5 / 7008 MHz Memory Outside Material: PVC Jacket Video Output Function - Display Port x 1, HDMI x 1, Dual-link DVI-D x 1 DirectX 12 Ready		
14.	<b>HDMI TO HDMI CABLE</b> Product Details: High-speed HDMI to HDMI cable Works with HDTVs, digital cameras/camcorders, MP3 players, and other HDMI devices Supports Ethernet, 3D, and Audio Return Durable braided design against wear and tear Cable length: 10 meters		
15.	<b>HEAVY DUTY EXTENSION CORD</b> Product Details: 1 illuminated switch 4 outlets (3-prong with grounding) with surge protector to prevent fire and appliance breakage 3 meter Royal Cord Maximum 2500 watts Lifetime Service Warranty		
16.	<b>NETWORK SWITCH (16 Port)</b> Product Details: 10/100/1000Mbps ports Supports MAC address self-learning, Auto MDI/MDIX and Auto negotiation with 16 Gigabit auto negotiation RJ45 ports 10KB Jumbo frame Plug and play, no configuration needed		
17.	<b>OUTDOOR UTP CABLE</b> Product Details: HIGH PERFORMANCE NETWORK CABLE. Our outdoor cat 6 lan cable is 23 AWG with 4 pairs (8C). Suitable for Fast, Gigabit, and 10-Gigabit Ethernet. Supports bandwidth of up to 550 MHz HASSLE FREE PACKAGING. 1000 feet (305 meters) packaged on a tangle free, easy pull reel/spool FOR USE INDOORS & OUTDOORS. Designed to withstand sunlight, dirt and moisture. Rugged and durable for extreme environments. Bury directly in the ground or use in conduit. Connect to: computers, printers, gaming consoles, routers, ethernet extenders, switch boxes, VoIP phones, IP cameras, PoE devices, etc.		

18.	<b>PC VACUUM CLEANER</b> Product Details: Portable super vacuum cleaner High-power super suction Ergonomic caring service Rated Voltage: 12V automotive voltage Rated Speed: 900 (Rmin) Vacuum Suction: 900mbar Size: 28*7.5*11cm			
19.	<b>POWER CABLE FOR DESKTOP</b> Product Details: Durable, portable and practical Interface: US Standard Plug Cable length: 1.2m Input: 10A 240V AC Convenient and easy to use Compatible with variety of devices			
20.	<b>POWER SUPPLY UNIT</b> Product Details: High efficiency with 80 PLUS certification 24/7 continuous power output with 40°C operating temperature Class-leading single +12V rail Active PFC Circuitry PCI-E 8pin and PCI-E 6pin connector support Silent running 120mm fan with 18dBA 600Watts True Rated			
21.	<b>PROGRAMMABLE MOUSE</b> Product Details: Resolution: 200 - 8,000 dpi Max. acceleration: >25G Max. speed: >200 ips USB data format: 16 bits/axis USB report rate: 1000 Hz (1ms) Microprocessor: 32-bit ARM Buttons (Left / Right): 10 million clicks Number of Buttons: at least 5 Windows® 7 or later			
22.	<b>RAM (8GB x 2)</b> Product Details: Memory Size: 16GB Kit (2 x 8GB) Frequency: DDR4-3200 MHz Timing: 16-18-18-38 (XMP 3200MHz) Voltage: 1.35V (when XMP enable) High efficient heat spreaders to keep performance			

23.	<b>RJ45 CAT6 CONNECTOR</b> Product Details: End Passthrough Ethernet 8P8C Gold Plated Modular Plug 100 pieces / pack		
24.	<b>SOLID STATE DRIVE</b> Product Details: 1,000 GB SATA 6 Gb/s Interface, compatible with SATA 3 Gb/s & SATA 1.5 Gb/s interface Up to 550 MB/s Sequential Read Up to 520 MB/s Sequential Write 2.5" SATA III Dimensions: 3.94" x 2.76" x 0.27"		
25.	<b>USB HUB</b> Product Details: [ 4 USB 3.0 PORTS ] - Reasonable USB interface layout, can support four USB high-speed devices simultaneously, and Short USB cable attached to prevent connection conflicts with other USB ports on your notebook or desktop PC USB 3.0, supports high speed (5G Mbps), full speed (480Mbps) and low speed (12Mbps) USB device configuration files. Connect to all computers; also connected to scanners, printers, digital cameras, mice, keyboards, external hard drives, MP3 players, etc. [ SUPER-SPEED TRANSMISSION ] - The USB port extender can maintain data transfer speeds of up to 5 Gbps without affecting other plug-ins, and better transfer movies and office productivity. [ PLUG AND PLAY ] - Does not require any software, drivers, or complicated installation process		
26.	<b>USB OTG TYPE C (32GB)</b> Product Details: Interface: at least USB 3.0 & OTG Android Type-C 32 GB Storage Compatibility: Windows 7, Windows 8, Windows 10		
27.	<b>USB OTG TYPE C (64GB)</b> Product Details: Interface: at least USB 3.0 & OTG Android Type-C 64 GB Storage Compatibility: Windows 7, Windows 8, Windows 10		
28.	<b>VELCRO STRAP CABLE</b> Product Details: Velcro Strap (10pcs)/pack Dimensions 15cm x 1.5cm		

29.	<b>WALL ADHESIVE</b> Product Details: Nail Free Adhesive All Purpose Grab Adhesive High Initial Grab Styrene Safe Water Resistant 320g		
30.	<b>WALL CORD COVER CABLE CONCEALER/DUCT</b> Product Details: Material: PVC Size: 40cm x 126''		
31.	<b>COMPUTER MOUSE - Wired PS2 Mouse (Black)</b> Resolution: 800 DPI		
32.	<b>COMPUTER MOUSE - Wired USB Mouse (BLACK)</b> Resolution: 1000 DPI Works on most surface, Operating System-Windows 2000/XP/2003/Vista/7/8		
33.	<b>COMPUTER KEYBOARD</b> Connectivity - Wired, Interface-USB Round Edge keycaps, Laser Inscribed Keys		
34.	<b>PORTABLE EXTERNAL DRIVE</b> Solid State Drive Capacity: 1TB Shock Resistant Compatible with PC and Mac Computers		
35.	<b>MICROPHONE</b> , Omni-Directional Condenser For PC/LAPTOP Style: Tabletop High Sensitivity Microphone USB Plug and Play Pickup Distance: Up to 3 meters		
36.	<b>WEBCAM</b> , For Teleconference Full HD 1080P, Wide-Angle Pan & Tilt Rotation, USB Plug For PC and Laptop		
37.	<b>CAMERA WEBCAM for PC/Laptop computer, USB Type</b> Specification: - 360 degree rotation webcam - Full HD 1080P, high-definition picture quality - cable length: approx 115cm - focal length: 8mm-infinity		

38.	<b>PRINTER</b> , Multifunctional, WiFi All-In-One Ink Tank, All in one with ink tank system, technology inkjet, 5760 x 1440 max resolution		
39.	<b>UNINTERRUPTIBLE POWER SUPPLY</b> Output: 600VA to 650VA, 350-400 Watts; Outlet: at least 3 outlets and at least 2 Universal outlets; Input: 220V to 230V; Surge Protection: All outlets; Battery: Maintenance-free, sealed leak-acid and leak proof; Features: LED Indicator and Audible Alarms, AVR, USB Connector for additional management, Push Button Circuit Breaker; Warranty: at least 1 year		
40.	<b>POWERBANK</b> , 20,000 MAH, Dual USB Output		
41.	<b>POCKET WIFI</b> , open-line		
42.	<b>TABLET</b> , 10" Display, 4GB RAM + 64GB ROM, Front Camera: 5MP minimum Back Camera: 10MP minimum With WIFI With Sim card slot		

I hereby certify that all statements indicated under the **Statement of Compliance** and **Bidder's Remarks** are true and correct, otherwise, if found untrue and incorrect either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Bidder's Signature over Printed Name

Date: \_\_\_\_\_

***Revised Financial Proposal Sheet***  
***ITB No. DSWD7-PB-2020-35***

Date: \_\_\_\_\_

**The Bids and Awards Committee**  
 DSWD-Field Office VII  
 M.J. Cuenco Ave., Cebu City

Sir/Madam:

After having carefully read and accepted the terms and conditions in your Bidding Documents, hereunder is our bid:

<b>Ite m No.</b>	<b>Items/Descriptions</b>	<b>Unit</b>	<b>Qty.</b>	<b>Unit Price</b>	<b>Amount</b>
1.	<b>AA BATTERIES (4 pcs)</b> Product Details: Package Quantity: 4 Classification: Alkaline Chemical System: Zinc-Manganese Dioxide (Zn/MnO <sub>2</sub> ) Designation: ANSI-15A, IEC-LR6 Nominal Voltage: 1.5 volts Operating Temp: -18°C to 55°C (0°F to 130°F) Typical Weight: 23.0 grams (0.8 oz.) Typical Volume: 8.1 cubic centimeters (0.5 cubic inch) Jacket: Plastic Label Terminal: Flat Contact	PACK	<b>20</b>		
2.	<b>CAT 6 UTP CABLE (BLUE) 305 M</b> Product Details: UTP Cable (Unshielded Twisted Pairs) CAT6E, Indoors 4Pairs Inside Material: CCA (Copper Clad Aluminum) Outside Material: PVC Jacket	BOX	<b>5</b>		
3.	<b>COMPUTER HEADSET</b> Product Details: Reinforced Padded Headband Noise & Echo Cancellation Optimized for Voice & Music (with microphone) Hear Safely USB 2.0 port	PIECE	<b>113</b>		

4.	<b>CURVED HD MONITOR</b> Product Details: Panel Size 23:6" (60cm) Panel Resolution 1920 x 1080 (FHD) Refresh Rate 75Hz Response time: 1 ms Viewing Angle: 178° (H) / 178° (V) Management Power Input 100~240V, 50~60Hz Power Consumption: 45W Signal Frequency: 30 to 80KHz (H) Dimension (W x H x D) : 543 x 403 x 192 mm HDMI: 1920 x 1080 (Up to 75Hz)	PIECE	<b>14</b>		
5.	<b>DESKTOP CAMERA</b> Product Details: Full HD 1080p video calling (up to 1920 x 1080 pixels) with the latest version of Skype for Windows H.264 video compression, Built-in dual stereo mics with automatic noise reduction. Automatic low-light correction, Tripod-ready universal clip fits laptops, LCD or monitors HD video calls on Windows-based PCs or on any HDTV with HDMI connection from a PC-laptop Output: USB Port 2.0 at least	PIECE	<b>5</b>		
6.	<b>DESKTOP CASING</b> Product Details: Super speed USB 3.0 x 2 HD Audio + USB x 2 BAYS2x 3.5" bays 4x SSD support4x PCI expansion slots (reusable covers) FANS Front 3x 120mm optional with Radiator support Top 2x 120 / 140mm optional with Radiator support Rear 120mm fan (included) SUPPORT AND CLEARANCE Supports iTX/ mATX motherboards 393mm Maximum GPU card length	PIECE	<b>8</b>		
7.	<b>DESKTOP MICROPHONE</b> Product Details: Style: Tabletop Microphone-Core: Dia: 14mm Condenser Frequency Response: 20Hz~20KHz Sensitivity: -35dB+/-3dB (0dB=1V/Pa at 1kHz) Maximum SPL: 110dB S/N Ratio: 70dB Sampling Rate: 44.1kHz/48kHz; 16bit Add-on Cable: USB A to C Cable 1.0M	PIECE	<b>5</b>		

8.	<b>DESKTOP MOTHERBOARD</b> Product Details: CPU: Intel® Socket 1151 9th/8th Gen Intel® Core™, Pentium®Gold and Celeron® Processors Chipset: Intel® B360 Operating System: Windows® 10 64-bit Memory: 4 x DIMM, Max. 64GB, DDR4 Graphic: Integrated Graphics Processor-Intel HD Graphics Support Multi-VGA Output Support: HDMI/Display Ports/DVD-D Storage: Intel® B360 Chipset; 1 x M.2 Socket3, with M key, type 2242/2260/2280 storage devices support (both SATA & PCIE 3.0 x 2 mode), 1 x M.2 Socket 3, with M key, type 2242/2260/2280/22110 storage devices support (PCIE 3.0 x 4 mode), 6 x SATA 6Gb/s port(s), Intel® Optane™ Memory Ready LAN: Intel® I219V, Dual interconnect between the Integrated Media Access Controller (MAC) and Physical Layer (PHY), Anti-surge LANGuard, USB Ports: 1 x HDMI, 1x DVi, 1x LAN (RJ45), 2x USB 3.1 gen 2 Type-A, 2x USB 3.1 Gen 1, 2x USB 2.0 Internal I/O Ports: 1 x USB 3.1 Gen 1 (up to 5Gbps) connector, 1 x USB 2.0 Connector, 1 x M.2 Socket 3 with M Key, type 2242/2260/2280 storage devices support (SATA & PCIE 3.0 X2 mode), 1 x M.2 Socket 3 with M key, type 2242/2260/2280 storage devices support (PCIE 3.0 x 4 mode) 6x SATA 6Gb/s BIOS: 1 x 128 Mb Flash ROM, UEFI AMI BIOS, PnP, SM BIOS 3.1, ACPI 6.1 Dimensions (LxWxH): 42cm x 16cm x 36cm	PIECE	8			
9.	<b>DESKTOP PROCESSOR</b> Product Details: 9th Gen Intel Processor Intel UHD Graphics 630 Socket LGA 1151 (300 Series) Max Turbo Frequency 4.1 GHz DDR4 Support i5-9400 Coffee Lake	PIECE	8			



10.	<b>DESKTOP SPEAKER</b> Product Details: Bluetooth audio input option for Bluetooth enabled devices Uniquely designed, upward angled satellites projects sound towards the listeners Translucent satellite stands provides support, the structure reduces possible interference that originates from surfaces Master volume and bass adjustment dials located on the side panel of the subwoofer 3.5mm line-in jack located on the side of the subwoofer for connectivity to audio hosts	PIECE	<b>3</b>		
11.	<b>EXTERNAL HARD DRIVE 2 TB SLIM 3.1</b> Product Details: Storage Capacity: 2 TB Memory Size: 2 TB Color: Black or Blue Hard Drive Interface: at least USB 3.0	PIECE	<b>144</b>		
12.	<b>EXTERNAL OPTICAL DISK DRIVE</b> Product Details: Portable and compact, easy to carry. Standard USB 3.0, backwards compatible with USB 2.0, USB 1.1, up to 5Gbps data transfer rate. Portable and compact, easy to carry. Plug and play, no driver needed.	PIECE	<b>2</b>		
13.	<b>GRAPHICS PROCESSING UNIT</b> Product Details: Core/Memory - Boost Clock 1455 MHz / Base Clock 1341 MHz 4096 MB GDDR5 / 7008 MHz Memory Outside Material: PVC Jacket Video Output Function - Display Port x 1, HDMI x 1, Dual-link DVI-D x 1 DirectX 12 Ready	PIECE	<b>8</b>		
14.	<b>HDMI TO HDMI CABLE</b> Product Details: High-speed HDMI to HDMI cable Works with HDTVs, digital cameras/camcorders, MP3 players, and other HDMI devices Supports Ethernet, 3D, and Audio Return Durable braided design against wear and tear Cable length: 10 meters	PIECE	<b>10</b>		

15.	<b>HEAVY DUTY EXTENSION CORD</b> Product Details: 1 illuminated switch 4 outlets (3-prong with grounding) with surge protector to prevent fire and appliance breakage 3 meter Royal Cord Maximum 2500 watts Lifetime Service Warranty	PIECE	<b>10</b>		
16.	<b>NETWORK SWITCH (16 Port)</b> Product Details: 10/100/1000Mbps ports Supports MAC address self-learning, Auto MDI/MDIX and Auto negotiation with 16 Gigabit auto negotiation RJ45 ports 10KB Jumbo frame Plug and play, no configuration needed	PIECE	<b>10</b>		
17.	<b>OUTDOOR UTP CABLE</b> Product Details: HIGH PERFORMANCE NETWORK CABLE. Our outdoor cat 6 lan cable is 23 AWG with 4 pairs (8C). Suitable for Fast, Gigabit, and 10-Gigabit Ethernet. Supports bandwidth of up to 550 MHz HASSLE FREE PACKAGING. 1000 feet (305 meters) packaged on a tangle free, easy pull reel/spool FOR USE INDOORS & OUTDOORS. Designed to withstand sunlight, dirt and moisture. Rugged and durable for extreme environments. Bury directly in the ground or use in conduit. Connect to: computers, printers, gaming consoles, routers, ethernet extenders, switch boxes, VoIP phones, IP cameras, PoE devices, etc.	BOX	<b>1</b>		
18.	<b>PC VACUUM CLEANER</b> Product Details: Portable super vacuum cleaner High-power super suction Ergonomic caring service Rated Voltage: 12V automotive voltage Rated Speed: 900 (Rmin) Vacuum Suction: 900mbar Size: 28*7.5*11cm	PIECE	<b>3</b>		

19.	<b>POWER CABLE FOR DESKTOP</b> Product Details: Durable, portable and practical Interface: US Standard Plug Cable length: 1.2m Input: 10A 240V AC Convenient and easy to use Compatible with variety of devices	PIECE	<b>100</b>		
20.	<b>POWER SUPPLY UNIT</b> Product Details: High efficiency with 80 PLUS certification 24/7 continuous power output with 40°C operating temperature Class-leading single +12V rail Active PFC Circuitry PCI-E 8pin and PCI-E 6pin connector support Silent running 120mm fan with 18dBA 600Watts True Rated	PIECE	<b>8</b>		
21.	<b>PROGRAMMABLE MOUSE</b> Product Details: Resolution: 200 - 8,000 dpi Max. acceleration: >25G Max. speed: >200 ips USB data format: 16 bits/axis USB report rate: 1000 Hz (1ms) Microprocessor: 32-bit ARM Buttons (Left / Right): 10 million clicks Number of Buttons: at least 5 Windows® 7 or later	PIECE	<b>10</b>		
22.	<b>RAM (8GB x 2)</b> Product Details: Memory Size: 16GB Kit (2 x 8GB) Frequency: DDR4-3200 MHz Timing: 16-18-18-38 (XMP 3200MHz) Voltage: 1.35V (when XMP enable) High efficient heat spreaders to keep performance	PIECE	<b>8</b>		
23.	<b>RJ45 CAT6 CONNECTOR</b> Product Details: End Passthrough Ethernet 8P8C Gold Plated Modular Plug 100 pieces / pack	PACK	<b>30</b>		

24.	<b>SOLID STATE DRIVE</b> Product Details: 1,000 GB SATA 6 Gb/s Interface, compatible with SATA 3 Gb/s & SATA 1.5 Gb/s interface Up to 550 MB/s Sequential Read Up to 520 MB/s Sequential Write 2.5" SATA III Dimensions: 3.94" x 2.76" x 0.27"	PIECE	<b>9</b>		
25.	<b>USB HUB</b> Product Details: [ 4 USB 3.0 PORTS ] - Reasonable USB interface layout, can support four USB high-speed devices simultaneously, and Short USB cable attached to prevent connection conflicts with other USB ports on your notebook or desktop PC USB 3.0, supports high speed (5G Mbps), full speed (480Mbps) and low speed (12Mbps) USB device configuration files. Connect to all computers; also connected to scanners, printers, digital cameras, mice, keyboards, external hard drives, MP3 players, etc. [ SUPER-SPEED TRANSMISSION ] - The USB port extender can maintain data transfer speeds of up to 5 Gbps without affecting other plug-ins, and better transfer movies and office productivity. [ PLUG AND PLAY ] - Does not require any software, drivers, or complicated installation process	PIECE	<b>8</b>		
26.	<b>USB OTG TYPE C (32GB)</b> Product Details: Interface: at least USB 3.0 & OTG Android Type-C 32 GB Storage Compatibility: Windows 7, Windows 8, Windows 10	PIECE	<b>8</b>		
27.	<b>USB OTG TYPE C (64GB)</b> Product Details: Interface: at least USB 3.0 & OTG Android Type-C 64 GB Storage Compatibility: Windows 7, Windows 8, Windows 10	PIECE	<b>8</b>		

28.	<b>VELCRO STRAP CABLE</b> Product Details: Velcro Strap (10pcs)/pack Dimensions 15cm x 1.5cm	PACK	<b>50</b>		
29.	<b>WALL ADHESIVE</b> Product Details: Nail Free Adhesive All Purpose Grab Adhesive High Initial Grab Styrene Safe Water Resistant 320g	PIECE	<b>5</b>		
30.	<b>WALL CORD COVER CABLE CONCEALER/DUCT</b> Product Details: Material: PVC Size: 40cm x 126"	PIECE	<b>5</b>		
31.	<b>COMPUTER MOUSE - Wired PS2</b> Mouse (Black) Resolution: 800 DPI	UNIT	<b>5</b>		
32.	<b>COMPUTER MOUSE - Wired USB</b> Mouse (BLACK) Resolution: 1000 DPI Works on most surface, Operating System-Windows 2000/XP/2003/Vista/7/8	UNIT	<b>70</b>		
33.	<b>COMPUTER KEYBOARD</b> Connectivity - Wired, Interface-USB Round Edge keycaps, Laser Inscribed Keys	UNIT	<b>170</b>		
34.	<b>PORTABLE EXTERNAL DRIVE</b> Solid State Drive Capacity: 1TB Shock Resistant Compatible with PC and Mac Computers	UNIT	<b>2</b>		
35.	<b>MICROPHONE</b> , Omni-Directional Condenser For PC/LAPTOP Style: Tabletop High Sensitivity Microphone USB Plug and Play Pickup Distance: Up to 3 meters	PIECE	<b>1</b>		

36.	<b>WEBCAM</b> , For Teleconference Full HD 1080P, Wide-Angle Pan & Tilt Rotation, USB Plug For PC and Laptop	PIECE	<b>4</b>		
37.	<b>CAMERA WEBCAM for PC/Laptop computer, USB Type</b> Specification: - 360 degree rotation webcam - Full HD 1080P, high-definition picture quality - cable length: approx 115cm - focal length: 8mm-infinity	PIECE	<b>100</b>		
38.	<b>PRINTER</b> , Multifunctional, WiFi All-In-One Ink Tank, All in one with ink tank system, technology inkjet, 5760 x 1440 max resolution	PIECE	<b>6</b>		
39.	<b>UNINTERRUPTIBLE POWER SUPPLY</b> Output: 600VA to 650VA, 350-400 Watts; Outlet: at least 3 outlets and at least 2 Universal outlets; Input: 220V to 230V; Surge Protection: All outlets; Battery: Maintenance-free, sealed leak-acid and leak proof; Features: LED Indicator and Audible Alarms, AVR, USB Connector for additional management, Push Button Circuit Breaker; Warranty: at least 1 year	UNIT	<b>15</b>		
40.	<b>POWERBANK</b> , 20,000 MAH, Dual USB Output	PIECE	<b>3</b>		
41.	<b>POCKET WIFI</b> , open-line	PIECE	<b>2</b>		
42.	<b>TABLET</b> , 10" Display, 4GB RAM + 64GB ROM, Front Camera: 5MP minimum Back Camera: 10MP minimum With WIFI With Sim card slot	PIECE	<b>4</b>		
<b>Total Bid Price (in Figures)</b>					

***TOTAL BID PRICE (In Words)*** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_.

Note: The above quoted prices are VAT inclusive and delivery cost.

Very truly yours,

\_\_\_\_\_  
Name of Company / Bidder

\_\_\_\_\_  
Name/Signature of Authorized Representative